

**Ceratium falcatum** (Kofoid) Jörg.

*Rep. Danish Oceanogr. Exped. Mediterr. Adjacent Seas* 2, J.1: 39 (1920)

*Ceratium pennatum* f. *falcatum* Kofoid, *Bull. Mus. Compar. Zool. Harvard Coll.* 50: 172 (1907); *Neoceratium falcatum* (Jörg.) F.Gómez, D.Moreira & López-García, *Protist* 161: 44 (2010), *nom. illeg.*

*Type locality*: eastern tropical Pacific Ocean

*Australian distribution*: Qld (Great Barrier Reef), N.S.W. (off Sydney), East Australian Current, Bass Strait

*Extra-Australian distribution*: Gulf of Mexico, U.S.A. (California, NE coast), Atlantic Ocean, Madeira, Canary Islands, Mediterranean Sea, Black Sea, Red Sea, Arabian Sea, Indian Ocean, South China Sea, North Pacific Ocean, New Zealand, tropical Pacific Ocean, Pacific coast of Mexico, Peru-Chile Current

*References*: E.J.F.Wood, Dinoflagellates in the Australian region, *Austral. J. Mar. Freshw. Res.* 5: 171–351 (1954)

S.W.Jeffrey & G.M.Hallegraeff, Studies of phytoplankton species and photosynthetic pigments in a warm core eddy of the East Australian Current. I. Summer populations, *Mar. Ecol. Prog. Ser.* 3: 285–294 (1980)

N.Revelante, W.T.Williams & J.S.Bunt, Temporal and spatial distribution of diatoms, dinoflagellates and *Trichodesmium* in waters of the Great Barrier Reef Australia, *Journal of Experimental Marine Biology and Ecology* 63: 27–46 (1982)

G.M.Hallegraeff & D.D.Reid, Phytoplankton species successions and their hydrological environment at a coastal station off Sydney, *Austral. J. Mar. Freshw. Res.* 37: 361–377 (1986)

J.M.Huisman, The genus *Ceratium* Schrank (Dinophyceae) in Bass Strait and adjoining waters, southern Australia, *Austral. Syst. Bot.* 2: 425–454 (1989)

G.M.Hallegraeff, C.J.S.Bolch, J.M.Huisman & M.F. de Salas, Planktonic dinoflagellates, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 145–212 (2010)