

Gymnodinium impudicum (Fraga & I.Bravo) G.Hansen & Moestrup

in N.Daugbjerg, G.Hansen, J.Larsen & Ø.Moestrup, *Phycologia* 39: 305 (2000)

Gyrodinium impudicum Fraga & I.Bravo, in S.Fraga, I.Bravo, M.Delgado, J.M.Franco & M.Zapata, *Phycologia* 34: 515 (1995)

Type locality: Mediterranean Sea (Spain)

Australian distribution: N.S.W. (Cowan Creek; & cysts), Vic. (Port Phillip Bay; & cysts), W.A.

Extra-Australian distribution: Portugal, Spain, Mediterranean Sea (Italy), South China Sea, East China Sea, Yellow Sea, New Zealand

References: J.A.Sonneman & D.R.A.Hill, A taxonomic survey of cyst-producing dinoflagellates from recent sediments of Victorian coastal waters, Australia, *Bot. Mar.* 40: 149–177 (1997)

G.M.Hallegraeff, C.J.S.Bolch, J.M.Huisman & M.F. de Salas, Planktonic dinoflagellates, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 145–212 (2010)

A.McMinn, C.J.S.Bolch, M.F. de Salas & G.M.Hallegraeff, Recent dinoflagellate cysts, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 260–292 (2010)