

Odontella dubia (Brightwell) Chavez & T.R.Baumg.

Ciencias Marinas 9: 68; figs 2, 3, 9–11 (1983)

Triceratium dubium Brightw., *Quart. J. Microscop. Sci.* 7: 180, pl. 9, fig. 12 (1859)

Biddulphia dubia (Brightw.) Cleve, *Vega-Exped. Vetenskap. Iakttagel.* 3: 508 (1883)

Type locality: Mauritius

Australian distribution: N & NW Australia, Qld (Maryborough, Heron Island, Capricorn Coast, Noosa), N.S.W. (Port Hacking), W.A. (Perth)

References: L.H.Crosby & E.J.F.Wood, Studies on Australian and New Zealand diatoms. I. Planktonic and allied species, *Trans. & Proc. Roy. Soc. New Zealand* 85: 483–530 (1958).

N.Foged, Diatoms in eastern Australia, *Biblioth. Phycol.* 41: 1–243 (1978)

J.John, The diatom flora of the Swan River Estuary, Western Australia, *Biblioth. Phycol.* 64: 1–358 (1983)

G.M.Hallegraeff & S.W.Jeffrey, Tropical phytoplankton species and pigments of continental shelf waters of north and north-west Australia, *Mar. Ecol. Prog. Ser.* 20: 59–74 (1984)

Extra-Australian distribution: S Brazil, Gulf of Mexico, Mauritius, Arabian Sea, Bangladesh, Java Sea

Note: In marine and estuarine habitats