

AUSTRALIAN ORCHIDACEAE: CURRENT GENERA AND SPECIES LIST (31/1/2007)

This is a list of the currently accepted scientific names for Australian orchids. The list includes exotic orchids (marked with an *) that have become naturalised in parts of Australia. The also includes exotic species misinterpreted as occurring in Australia (marked with **).

Abaxianthus M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002). Type species: *Desmotrichum convexum* Blume.

Abaxianthus convexa (Blume) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).

Acianthella D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004). Type species: *Microstylis amplexicaulis* F.M.Bailey.

Acianthella amplexicaulis (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004).

Acianthella sublestus (Dockrill) D.L.Jones et M.A.Clem., *Orchadian* 14(7): 331 (Mar. 2004).

Acianthus R.Br., *Prod.* 321 (1810). Type species: *Acianthus exsertus* R.Br., *fide* (Hallé 1977).

Acianthus apprimus D.L.Jones, *Austral. Orch. Res.* 2: 5, t., f. 2 (1991).

Acianthus borealis D.L.Jones, *Austral. Orch. Res.* 2: 5-6, t., f. 3 (1991).

Acianthus collinus D.L.Jones, *Austral. Orch. Res.* 2: 6-7, t., f. 4 (1991).

Acianthus exiguus D.L.Jones, *Austral. Orch. Res.* 2: 7, t., f. 5 (1991).

Acianthus exsertus R.Br., *Prod.* 321 (1810).

Acianthus fornicatus R.Br., *Prod.* 321 (1810).

Acianthus ledwardii Rupp, *Queensland Naturalist* 10: 113, t. (1938).

Acianthus pusillus D.L.Jones, *Austral. Orch. Res.* 2: 7-8, t., f. 5 (1991).

Acriopsis Reinw. ex Blume, *Bijdr.* 6: t. 2; 8: 376 (1825). Type species: *Acriopsis javanica* Reinw. ex Blume.

Acriopsis emarginata D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 3-4, f.1.1 (21 Dec. 2006).

Adelopetalum Fitzg., *J. Bot.* 29: 152 (May 1891). Type species: *Adelopetalum bracteatum* Fitzg.

Adelopetalum argyropus (Endl.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum boonjee (B.Gray et DL.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum bracteatum Fitzg., *J. Bot.* 29: 152 (1891).

Adelopetalum elisae (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum exiguum (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum lageniforme (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum lilianiae (Rendle) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adelopetalum newportii (F.M.Bailey) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 498 (2002).

Adenochilus Hook.f., *Fl. nov.-zel.* 1: 246, t. 56 (1853). Type species: *Adenochilus gracilis* Hook.f.

Adenochilus nortonii Fitzg., *Austral. orch.* 1(2): [t. 2] (1876).

Anoectochilus Blume, *Bijdr.* 8: 411, t. 15 (1825)(nom. et orth. cons.). Type species: *Anoectochilus setaceus* (Blume)Lindl., (*Anecochilus* Blume, *nom. illeg.*)(type cons.).

Anoectochilus yatesiae F.M.Bailey, *Queensland Agric. J.* 19: 148 (1907).

Anzybas D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002). Type species: *Corysanthes unquiculata* R.Br.

Anzybas abditus (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Anzybas fordhamii (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Anzybas montanus (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Anzybas unquiculatus (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 443 (2002).

Aphyllorchis Blume, *Tab. Pl. Jav. Orch.* t. 77 (1825). Type species: *Aphyllorchis pallida* Blume.

Aphyllorchis anomala Dockrill, *Orchadian* 1: 116, f. (1965).

Aphyllorchis queenslandica Dockrill, Orchadian 1: 115, f. (1965).

Aporopsis (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 485 (2002). Type species: *Dendrobium macfarlanei* F.Muell.

Aporopsis litoralis (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 485 (2002).

Apostasia Blume, Bijdr. 6: f. 39; 8: 423 (20 Sept.-7 Dec 1825). Type species: *Apostasia odorata* Blume.
Apostasia stylidioides (F.Muell.) Rchb.f., Flora 55: 278 (1872).

Appendicula Blume, Bijdr. 297 (20 Sept.-7 Dec 1825). Type species: *Appendicula alba* Blume, *fide* (Hallé 1977).

Appendicula australiensis (F.M.Bailey) M.A.Clem. et D.L.Jones, Phytologia 73(2): 118 (1992).

Arachnorchis D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001). Type species: *Caladenia patersonii* R.Br.

Arachnorchis actensis (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis aestiva (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis amnicola (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis amoena (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis ampla D.L.Jones, Austral. Orchid. Res. 5: 50-51, t. (21 Dec. 2006).

Arachnorchis ancylosa D.L.Jones, Austral. Orchid. Res. 5: 51-52, t. (21 Dec. 2006).

Arachnorchis anthracina (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis applanata (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *applanata*, Orchadian 13(10): 451 (2002).

Arachnorchis applanata subsp. *erubescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis arenaria (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis arenicola (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis argocalla (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 392 (Oct. 2001).

Arachnorchis armata D.L.Jones, Austral. Orchid. Res. 5: 52 (21 Dec. 2006).

Arachnorchis arrecta (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis atroclavia (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis attingens (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *attingens*, Orchadian 13(10): 451 (2002).

Arachnorchis attingens subsp. *gracillima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis audasii (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis australis (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis behrii (Schldl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis brachyscapa (G.W.Carr.) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis branwhitei D.L.Jones, Austral. Orchid. Res. 5: 46-47, f.3.1 (21 Dec. 2006).

Arachnorchis brownii (Hopper) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis brumalis (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis bryceana (R.S.Rogers) D.L.Jones et M.A.Clem. subsp. *bryceana*, Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis bryceana subsp. *cracens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis busselliana (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 451 (2002).

Arachnorchis cadyi D.L.Jones, Austral. Orchid. Res. 5: 52-53 (21 Dec. 2006).

Arachnorchis calcicola (G.W.Carr) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis callitrophila (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis cardiochila (Tate) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

Arachnorchis caudata (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 393 (Oct. 2001).

- Arachnorchis christineae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis citrina* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis clavescens* D.L.Jones, *Austral. Orchid. Res.* 5: 47-48, f.3.1, t. (21 Dec. 2006).
- Arachnorchis clavigera* (A.Cunn. ex Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis clavula* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis colorata* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis concinna* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis concolor* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis conferta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis corynephora* (A.S.George.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis crebra* (A.S.George.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis cremna* D.L.Jones, *Austral. Orchid. Res.* 5: 53-54 (21 Dec. 2006).
- Arachnorchis cretacea* D.L.Jones, *Austral. Orchid. Res.* 5: 58-59, t. (21 Dec. 2006).
- Arachnorchis cruciformis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 393 (Oct. 2001).
- Arachnorchis cruscula* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis decora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 451 (2002).
- Arachnorchis dienema* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis dilatata* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis discoidea* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis douglasiorum* D.L.Jones, *Austral. Orchid. Res.* 5: 53-54, t. (21 Dec. 2006).
- Arachnorchis drummondii* (Benth.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis echidnachila* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ensata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ensigera* D.L.Jones, *Austral. Orchid. Res.* 5: 59-60 (21 Dec. 2006).
- Arachnorchis excelsa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis exstans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis falcata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis ferruginea* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fitzgeraldii* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis flavovirens* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis flindersica* D.L.Jones, *Austral. Orchid. Res.* 5: 60-61, t. (21 Dec. 2006).
- Arachnorchis formosa* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fragrantissima* (D.L.Jones et G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis fuliginosa* D.L.Jones, *Austral. Orchid. Res.* 5: 61-62 (21 Dec. 2006).
- Arachnorchis fulva* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis gardneri* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis georgei* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis gladiolata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis graminifolia* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis grampiana* D.L.Jones, *Austral. Orchid. Res.* 5: 62, t. (21 Dec. 2006).
- Arachnorchis graniticola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
- Arachnorchis granitora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis harringtoniae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis hastata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis heberleana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis helvina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis hirta* (Lindl.) D.L.Jones et M.A.Clem. subsp. *hirta*, *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis hirta* subsp. *rosea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis hoffmanii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis huegelii* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis infundibularis* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 394 (Oct. 2001).
- Arachnorchis insularis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis integra* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).

- Arachnorchis interjacens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis intuta* D.L.Jones, *Orchadian* 14(12): 561-562, t. (2002).
- Arachnorchis leptochila* (Fitzg.) D.L.Jones et M.A.Clem. subsp. *dentata* D.L.Jones, *Austral. Orchid. Res.* 5: 62-63, f.3.2 (21 Dec. 2006).
- Arachnorchis leptochila* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis leptoclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lindleyana* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lobata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis lodgeana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* (Lindl.) D.L.Jones et M.A.Clem. subsp. *longicauda*, *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis longicauda* subsp. *albella* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *australora* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *borealis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *calcigena* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *clivicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 452 (2002).
- Arachnorchis longicauda* subsp. *crassa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *eminens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *merrittii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *redacta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longicauda* subsp. *rigidula* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis longiclavata* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis longifimbriata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis lorea* (Hopper et A.P.Br.) (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis lowanensis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis macroclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis macrostylis* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis magniclavata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis magnifica* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis montana* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis necrophylla* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis nivalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis oenochila* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis orestes* D.L.Jones, *Austral. Orchid. Res.* 5: 48-49, t. (21 Dec. 2006).
- Arachnorchis orientalis* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis osmera* D.L.Jones, *Austral. Orchid. Res.* 5: 56-57, t. (21 Dec. 2006).
- Arachnorchis ovata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis pallida* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 395 (Oct. 2001).
- Arachnorchis paludosa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis parva* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis patersonii* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis pectinata* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis peisleyi* D.L.Jones, *Austral. Orchid. Res.* 5: 57, t. (21 Dec. 2006).
- Arachnorchis phaeoclavia* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).

- Arachnorchis pholcoidea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *pholcoidea*, *Orchadian* 13(10): 453 (2002).
- Arachnorchis pholcoidea* subsp. *angustaensis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis pilotensis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis plicata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis procera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis pumila* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis radiata* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis reticulata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis rhomboidiformis* (E.Coleman) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis richardsiorum* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis rigens* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis rigida* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis rileyi* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis robinsonii* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis rosella* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis saggicola* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis saxatilis* D.L.Jones, *Austral. Orchid. Res.* 5: 63-64, t. (21 Dec. 2006).
- Arachnorchis septuosa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis serotina* (Hopper & A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(3): 126 (2003).
- Arachnorchis speciosa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis splendens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis starteorum* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis stellata* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis stricta* (R.J.Bates) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 396 (Oct. 2001).
- Arachnorchis strigosa* D.L.Jones, *Austral. Orchid. Res.* 5: 57-58 (21 Dec. 2006).
- Arachnorchis subtilis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis tensa* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis tentaculata* (Schldl.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis tessellata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis thinicola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis thyanochila* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis toxochila* (Tate) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis uliginosa* (A.S.George) D.L.Jones et M.A.Clem. subsp. *uliginosa*, *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis uliginosa* subsp. *candicans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 453 (2002).
- Arachnorchis uliginosa* subsp. *patulens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 454 (2002).
- Arachnorchis valida* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 14(3): 126 (2003).
- Arachnorchis venusta* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis verrucosa* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis versicolor* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis villosissima* (G.W.Carr) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis viridescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 454 (2002).
- Arachnorchis whiteheadii* D.L.Jones, *Austral. Orchid. Res.* 5: 64-65 (21 Dec. 2006).
- Arachnorchis williansiae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 454 (2002).
- Arachnorchis winfieldii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 454 (2002).
- Arachnorchis woolcockiorum* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis xanthochila* (D.Beardsell et C.Beardsell) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 400 (Oct. 2001).
- Arachnorchis zephyra* D.L.Jones, *Austral. Orchid. Res.* 5: 65, t. (21 Dec. 2006).
- Arachnorchis ×aestantha* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
- Arachnorchis ×cala* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).

Arachnorchis ×*coactescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*exserta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*hypata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*suffusa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 34 (2005).
Arachnorchis ×*variabilis* (Nicholls) J.Jeanes, *Muelleria* 16: 81 (2002).

Arthrochilus F.Muell., *Fragm.* 1: 42 (1858). Type species: *Arthrochilus irritabilis* F.Muell.

Arthrochilus apectus D.L.Jones, *Orchadian* 14(8): Sci. Suppl. i-ii (June 2004).
Arthrochilus aquilus D.L.Jones, *Orchadian* 14(8): Sci. Suppl. ii-iii (June 2004).
Arthrochilus corinnae D.L.Jones, *Orchadian* 14(8): Sci. Suppl. iii-iv (June 2004).
Arthrochilus irritabilis F.Muell., *Fragm.* 1: 43 (1858).
Arthrochilus latipes D.L.Jones, *Austral. Orch. Res.* 2: 8-9, f. 7 (1991).
Arthrochilus oreophilus D.L.Jones, *Austral. Orch. Res.* 2: 9-10, f. 8 (1991).
Arthrochilus prolixus D.L.Jones, *Austral. Orch. Res.* 2: 10, f. 9 (1991).
Arthrochilus rosulatus D.L.Jones, *Austral. Orch. Res.* 2: 10-11, f. 10 (1991).
Arthrochilus sabulosus D.L.Jones, *Austral. Orch. Res.* 2: 11-12, f. 11 (1991).
Arthrochilus stenophyllus D.L.Jones, *Austral. Orch. Res.* 2: 12-13, f. 12 (1991).

Australorchis Brieger, *Schlechter Orchideen* (ed. 3), 1: 741 (1981). Type species: *Dendrobium monophyllum* F.Muell.

Australorchis carrii (Rupp et C.T.White) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).
Australorchis eungellensis D.L.Jones et M.A.Clem., *Orchadian* 13(11): 485 (2002).
Australorchis monophylla (F.Muell.) Brieger, *Schlechter Orchideen* (ed. 3), 1(11–12): 741 (1981).
Australorchis schneiderae (F.M.Bailey) Brieger, *Schlechter Orchideen* (ed. 3), 1(11–12): 741 (1981).

Blepharochilum M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002). Type species: *Bulbophyllum purpurascens* F.M.Bailey, *nom. illeg., non* Teijsm. et Binnend. (1862).

Blepharochilum macphersonii M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).
Blepharochilum sladeanum M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).

Brachypeza Garay, *Bot. Mus. Leafl. Harv. Uni.* 23 (4): 164 (1972). Type species: *Saccolabium archytas* Ridl.

Brachypeza archytas (Ridl.) Garay, *Bot. Mus. Leafl. Harv. Uni.* 23(4): 164 (1972).

Bromheadia Lindl. in Edwards's, *Bot. Reg.* 27: Misc. 89 (1841). Type species: *Bromheadia palustris* Lindl. (*Grammatophyllum finlaysonianum* Lindl. = *Bromheadia findlaysoniana* (Lindl.) Miq.).

Bromheadia pulchra Schltr., *Repert. Spec. Nov. Regni Veg. Beih.* 1: 367 (1912).

Bryobium Lindl., *Nat. Syst.* (ed. 2), 446 (July? 1836), *nom. nud.*; in Edwards's, *Bot. Reg.* 24 (Misc.): 79 (Oct. 1838). Type species: *Bryobium pubescens* Lindl.

Bryobium eriaeoides (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).
Bryobium intermedium (Dockrill) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 88 (2006).
Bryobium irukandjianum (St.Cloud) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).
Bryobium queenslandicum (T.E.Hunt) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 501 (2002).
Bryobium retusum (Blume) Y.P.Ng et P.J.Cribb, *Orchid Rev.* 113(1265): 272 (2005).

Bunochilus D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 67 (2002). Type species: *Pterostylis longifolia* R.Br.

Bunochilus barringtonensis D.L.Jones, *Austral. Orchid. Res.* 5: 121, f.4.3, t. (21 Dec. 2006).

Bunochilus chlorogrammus (D.L.Jones et M. A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 68 (2002).

Bunochilus chokolatinus D.L.Jones, *Austral. Orchid. Res.* 5: 122-123, f.4.4, t. (21 Dec. 2006).

Bunochilus crassus D.L.Jones, *Austral. Orchid. Res.* 5: 127, f. 4.5 (21 Dec. 2006).

Bunochilus diminutus D.L.Jones, *Austral. Orchid. Res.* 5: 120-121, f. 4.3 (21 Dec. 2006).

Bunochilus flavovirens D.L.Jones, *Austral. Orchid. Res.* 5: 132, f. 4.6 (21 Dec. 2006).

- Bunochilus lineatus* D.L.Jones, Austral. Orchid. Res. 5: 121-122, f. 4.3 (21 Dec. 2006).
- Bunochilus littoralis* D.L.Jones, Austral. Orchid. Res. 5: 133, f. 4.6 (21 Dec. 2006).
- Bunochilus loganii* D.L.Jones, Austral. Orchid. Res. 5: 119-120, f. 4.3 (21 Dec. 2006).
- Bunochilus longifolius* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus macilentus* D.L.Jones, Austral. Orchid. Res. 5: 117-118, f.4.2, t. (21 Dec. 2006).
- Bunochilus macrosepalus* D.L.Jones, Austral. Orchid. Res. 5: 125-126, f.4.4, 4.7, t. (21 Dec. 2006).
- Bunochilus majus* D.L.Jones, Austral. Orchid. Res. 5: 115-116, f. 4.2, 4.7 (21 Dec. 2006).
- Bunochilus melagrammus* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus montanus* D.L.Jones, Austral. Orchid. Res. 5: 118-119, f. 4.3 (21 Dec. 2006).
- Bunochilus parvus* D.L.Jones, Austral. Orchid. Res. 5: 123, f. 4.4 (21 Dec. 2006).
- Bunochilus prasinus* D.L.Jones, Austral. Orchid. Res. 5: 133-134, f. 4.6 (21 Dec. 2006).
- Bunochilus smaragdinus* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus stenochilus* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus stenosepalus* D.L.Jones, Austral. Orchid. Res. 5: 130, f.4.6, 4.7, t. (21 Dec. 2006).
- Bunochilus tenuis* D.L.Jones, Austral. Orchid. Res. 5: 127-128, f.4.5, t. (21 Dec. 2006).
- Bunochilus tunstallii* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Bunochilus umbrinus* D.L.Jones, Austral. Orchid. Res. 5: 126-127, f. 4.5 (21 Dec. 2006).
- Bunochilus viriosus* D.L.Jones, Austral. Orchid. Res. 5: 129-130, f.4.5, t. (21 Dec. 2006).
- Bunochilus vitreus* D.L.Jones, Austral. Orchid. Res. 5: 116-117, f.4.2, t. (21 Dec. 2006).
- Bunochilus williamsonii* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 68 (2002).
- Burnettia* Lindl., Gen. sp. orchid. pl. 517 (1840). Type species: *Burnettia cuneata* Lindl.
- Burnettia cuneata* Lindl., Gen. sp. orchid. pl. 518 (1840).
- Cadetia* Gaud. in Freycinet, Voy. Uranie 422, t. 33 (1826). Type species: *Cadetia umbellatum* Gaud.
- Cadetia clausa* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 4, f.1.4 (21 Dec. 2006).
- Cadetia collinsii* Lavarack, Austrobaileya 1(4): 381-2, f. 23a (1981).
- Cadetia maideniana* (Schltr.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 424 (1912).
- Cadetia taylori* (F.Muell.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 424 (1912).
- Caladenia* R.Br., Prod. 323 (1810). Type species: *Caladenia flava* R.Br., *fide* Pfitzer (1889), see Jones et al. (2001), *non Caladenia catenata* (Sm.) Druce (N.Hallé 1977), *nec Caladenia carnea* R.Br. (Clements 1989).
- Caladenia flava* R.Br. subsp. *flava*, Prod. 324 (1810).
- Caladenia flava* subsp. *maculata* Hopper et A.P.Br., Nuytsia 14(1/2): 176-177, f. 30M-P, 33B (24 Sept. 2001).
- Caladenia flava* subsp. *sylvestris* Hopper et A.P.Br., Nuytsia 14(1/2): 177-178, f. 38A-D, 33B (24 Sept. 2001).
- Caladenia latifolia* R.Br., Prod. 324 (1810).
- Caladenia marginata* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).
- Caladenia nana* Endl. in Lehm., Pl. Preiss. 2: 7 (1846).
- Caladenia reptans* Lindl. subsp. *reptans* in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lii (1840).
- Caladenia reptans* subsp. *impensa* Hopper et A.P.Br., Nuytsia 14(1/2): 185-186, f. 33D (24 Sept. 2001).
- Caladenia unita* Fitzg., Gard. Chron. (new ser.), 17: 461 (1882).
- Caladenia xeludens* Hopper et A.P.Br., Nuytsia 14(1/2): 288, f. 72B, 71D (24 Sept. 2001).
- Caladenia xenigma* Hopper et A.P.Br., Nuytsia 14(1/2): 288, 290, f. 73A (24 Sept. 2001).
- Caladenia xerminae* Hopper et A.P.Br., Nuytsia 14(1/2): 291, f. 71D, 73C (24 Sept. 2001).
- Caladenia xidiastes* Hopper et A.P.Br., Nuytsia 14(1/2): 295-296, f. 74C (24 Sept. 2001).
- Caladenia xspectabilis* Hopper et A.P.Br., Nuytsia 14(1/2): 299-300, f. 77C (24 Sept. 2001).
- Caladenia xtriangularis* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 10 (1927).

Calanthe R.Br. ex Ker.-Gawl. in Edwards's, Bot. Reg. 7: sub t. 573 (1 Oct. 1821), *nom. cons.* Type species: *Calanthe veratrifolia* Ker.-Gawl. (1823), *nom. illeg.* (*Limodorum veratrifolium* Willd., *nom. illeg.*, *Orchis triplicata* Willemet) = *Calanthe triplicata* (Willemet) Ames, *fide* Taxon 31: 543 (1982).

Calanthe australasica D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 8 (21 Dec. 2006).

Caleana R.Br., Prod. 329 (1810). Type species: *Caleana major* R.Br.

Caleana major R.Br., Prod. 329 (1810).

Calochilus R.Br., Prod. 320 (1810). Type species: *Calochilus paludosus* R.Br., *fide* Clements (1989).

Calochilus ammobius D.L.Jones et B.Gray, Orchadian 14(2): 85-86, f.1, t. (Jan. 2003).

Calochilus caeruleus L.O.Williams, Bot. Mus. Leaf., Harv. Uni. 12(5): 151-2, t. 22 (1946).

Calochilus caesius D.L.Jones, Orchadian 14(8): Sci. Suppl. iv-v (June 2004).

Calochilus campestris R.Br., Prod. 320 (1810).

Calochilus cleistanthus D.L.Jones, Orchadian 14(8): Sci. Suppl. v (June 2004).

Calochilus gracillimus Rupp, Victorian Naturalist 60: 28 (1943).

Calochilus grandiflorus (Benth.) Domin, Bibl. Bot., Stuttgart Heft. 85: 551 (1915).

Calochilus herbaceus Lindl., Gen. sp. orchid. pl. 459 (1840).

Calochilus holtzei F.Muell., Bot. Centralbl. 50: 127 (1892).

Calochilus imperiosus D.L.Jones, Orchadian 14(8): Sci. Suppl. v-vi (June 2004).

Calochilus metallicus D.L.Jones, Orchadian 14(8): Sci. Suppl. vi-vii (June 2004).

Calochilus montanus D.L.Jones, Austral. Orchid. Res. 5: 66, f.3.3, t. (21 Dec. 2006).

Calochilus paludosus R.Br., Prod. 320 (1810).

Calochilus praeltus D.L.Jones, Austral. Orchid. Res. 5: 66, f.3.4 (21 Dec. 2006).

Calochilus pruinosis D.L.Jones, Austral. Orchid. Res. 5: 67-68 (21 Dec. 2006).

Calochilus psednus D.L.Jones et Lavarack, Proc. Roy. Soc. Queensl. 100: 101-103, f.1 (1989).

Calochilus pulchellus D.L.Jones, Austral. Orchid. Res. 5: 68-69 (21 Dec. 2006).

Calochilus richiae Nicholls, Victorian Naturalist 45: 233, t. 9 (1929).

Calochilus robertsonii Benth., Fl. Austral. 6: 315 (1873).

Calochilus russeus D.L.Jones, Orchadian 14(8): Sci. Suppl. vii-viii (June 2004).

Calochilus sandrae D.L.Jones, Austral. Orchid. Res. 5: 69-70, f.3.5 (21 Dec. 2006).

Calochilus saprophyticus R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 54: 41 (1930).

Calochilus stramenicola D.L.Jones, Austral. Orchid. Res. 5: 70-71, t. (21 Dec. 2006).

Calochilus therophilus D.L.Jones, Austral. Orchid. Res. 5: 71-72, f.3.6 (21 Dec. 2006).

Calochilus uliginosus D.L.Jones, Austral. Orchid. Res. 5: 72-73 (21 Dec. 2006).

Carparomorchis M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002). Type species: *Bulbophyllum macranthum* Lindl.

Carparomorchis baileyi (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 498 (2002).

Cepobaculum M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002). Type species: *Dendrobium canaliculatum* R.Br.

Cepobaculum canaliculatum (R.Br.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cepobaculum carronii (Lavarack et P.J.Cribb) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cepobaculum foelschei (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cepobaculum johannis (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cepobaculum semifuscum (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cepobaculum tattonianum (Bateman ex Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cepobaculum trilamellatum (J.J.Sm.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Ceraia Lour., Fl. Cochinch. 2: 518 (1790) (as 'Ceraja'). Type species: *Ceraia simplicissima* Lour.

Ceraia saaronica (J.König) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Ceratobium (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002). Type species: *Dendrobium antennatum* Lindl.

Ceratobium dalbertsii (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 486 (2002).

Cestichis Thouars ex Pfitzer, Entwurf Natürl. Anordn. Orchid. 56 (1887). Type species: *Malaxis caespitosa* Thouars, *vide* Jones and Clements (2005).

Cestichis angustilabris (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis bracteata (T.E.Hunt) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis coelogynoides (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis condylobulbon (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis fleckeri (Nicholls) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis nugentiae (F.M.Bailey) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis reflexa (R.Br.) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cestichis swenssonii (F.M.Bailey) D.L.Jones et M.A.Clem., Orchadian 15(1): 40 (2005).

Cheirostylis Blume, Bijdr. 6: 413, t. 1, f. 16 (1825). Type species: *Cheirostylis montana* Blume.

Cheirostylis notialis D.L.Jones, Muellera 10: 75-83, f.3 (1997).

Cheirostylis ovata (Bailey) Schltr., Bot. Jahrb. Syst. 45: 394 (1911).

Chiloglottis R.Br., Prod. 322-323 (1810). Type species: *Chiloglottis diphylla* R.Br.

Chiloglottis anaticeps D.L.Jones, Austral. Orch. Res. 2: 37, f. 44 (1991).

Chiloglottis diphylla R.Br., Prod. 323 (1810).

Chiloglottis longiclavata D.L.Jones, Austral. Orch. Res. 2: 38-39, f. 46 (1991).

Chiloglottis palachila D.L.Jones, Austral. Orch. Res. 2: 39, f. 47 (1991).

Chiloglottis reflexa (Labill.) Druce, Rep. Bot. Exch. Cl. Brit. Isles Suppl. 2: 614 (1917).

Chiloglottis seminuda D.L.Jones, Austral. Orch. Res. 2: 41, f. 50 (1991).

Chiloglottis sphaerula D.L.Jones, Austral. Orchid. Res. 5: 73-74, f.3.7 (21 Dec. 2006).

Chiloglottis sphyrnoides D.L.Jones, Austral. Orch. Res. 2: 41-42, f. 51 (1991).

Chiloglottis sylvestris D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 123-4, f. 1 (1987)

Chiloglottis trilabra Fitzg., J. Bot. 21: 204 (1883).

Chiloschista Lindl. in Edwards's, Bot. Reg. 18: sub t. 1522 (1832). Type species: *Epidendrum usneoides* D.Don.

Chiloschista phyllorhiza (F.Muell.) Schltr., Bot. Jahrb. Syst. 56: 492 (1921).

Chiloterus D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004). Type species: *Prasophyllum cucullatum* Rchb.f.

Chiloterus cucullatus (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004).

Chiloterus gibbosus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 14(8); Suppl. xiii (2004).

Cirrhopetalum Lindl. in Edwards's, Bot. Reg. 10: sub t. 832 (1824), *nom.*; Gen. sp. orchid. pl. 45, 58 (May 1830), *nom. cons.* Type species: *Bulbophyllum longiflorum* Thouars (= *Cirrhopetalum thouarsii* Lindl., *nom. illeg.*).

Cirrhopetalum clavigerum Fitzg., J. Bot. 21: 204 (1883).

Cirrhopetalum gracillimum Rolfe, Kew Bull. 34 (1895).

Coelandria Fitzg., Austral. Orch. 1(7): [t. 2] (1882). Type species: *Coelandria smillieae* (F.Muell.) Fitzg.

Coelandria smillieae (F.Muell.) Fitzg., Austral. Orch. 1(7): t. 2 (1882).

Conostalix (Kraenzl.) Brieger, Schlechter Orchideen (ed. 3), 1(11-12): 659 (July 1981). Type species: *Dendrobium calcaratum* Lindl. (1840), *non* A.Rich (1834[22]).

Conostalix paludicola (Schltr.) Rauschert, Feddes Repert. 94(7-8): 444 (1983).

Cooktownia D.L.Jones, Austrobaileya 5(1): 71-78 (1997). Type: *Cooktownia roberstii* D.L.Jones.

Cooktownia roberstii D.L.Jones, Austrobaileya 5(1): 74-77 (1997).

Corunastylis Fitzg., Austral. orch. 2(3): [t. 1] (1888). Type species: *Corunastylis apostasioides* Fitzg.

Corunastylis acuminata (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(10): 460 (2002).

- Corunastylis alticola* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis anthracina* D.L.Jones, *Austral. Orchid. Res.* 5: 74, f. 3.8 (21 Dec. 2006).
- Corunastylis apostasioides* Fitzg., *Austral. orch.* 2(3): [t. 1] (1888).
- Corunastylis archeri* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis arrecta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis bishopii* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis brachystachya* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis ciliata* (Ewart et B. Rees) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis citriodora* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis conferta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis cranei* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis densa* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 37 (2005).
- Corunastylis despectans* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis ectopa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis eriochila* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis filiformis* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis fimbriata* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 460 (2002).
- Corunastylis firthii* (L.Cady) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis formosa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis insignis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis laminata* (Fitzg.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): *Sci. Suppl.* xiii (June 2004).
- Corunastylis littoralis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis morina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis morrisii* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis nigricans* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis nuda* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis nudiscapa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis oligantha* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis ostrina* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(11): 502 (2002).
- Corunastylis parvicalla* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis pedersonii* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis plumosa* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis psammophila* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis pumila* (Hook.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis rhyolitica* (D.L.Jones et M.A. Clem) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis rufa* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis ruppii* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis sagittifera* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis sigmoidea* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis simulans* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 461 (2002).
- Corunastylis superba* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis systena* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis tasmanica* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis tecta* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis tepperi* (F.Muell. ex Tepper) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis trifida* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 14(8): *Sci. Suppl.* xiii (June 2004).
- Corunastylis turfosa* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis valida* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis vernalis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corunastylis woollsii* (F.Muell.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 462 (2002).
- Corybas* Salisb., *Parad. Lond.* t. 83 (1807). Type species: *Corybas aconitiflorus* Salisb.
- Corybas abellianus* Dockrill *North Queensland Naturalist* 24(112): 1-2, f. (1955).
- Corybas aconitiflorus* Salisb., *Parad. Lond.* t. 83 (1807).
- Corybas barbarae* D.L.Jones, *Austrobaileya* 2(5): 548-50, f. 1D, E & F (1988).

Corybas cerasinus D.L.Jones et B.Gray, Orchadian 13(8): 341-342, f. (2001).

Corybas dowlingii D.L.Jones, Orchadian 14(9): 419-420, f.1 (2004).

Corybas undulatus (A.Cunn.) Rupp, Proc. Linn. Soc. New South Wales 53: 551 (1928).

Corymborkis Thouars, Nouv. Bull. Sci. Soc. Philom. Paris 1: 518 (1809). Type species: *Corymborkis corymbis* Thouars.

Corymborkis veratrifolia (Reinw.) Blume., Orchid. Arch. Ind. 125, t. 42, f. E; t. 43, f. 1 (1858).

Corysanthes R.Br., Prod. 328 (1810). Type species: *Corysanthes fimbriata* R.Br.

Corysanthes dentata (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes despectans (D.L.Jones et R.C. Nash) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes diemenica Lindl., Gen. sp. orchid. pl. 393 (1840).

Corysanthes dilatata Rupp et Nicholls, Proc. Linn. Soc. New South Wales 53(1): 87-88, t. 12 (1928).

Corysanthes expansa (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes fimbriata R.Br., Prod. 328 (1810).

Corysanthes hispida (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes incurva (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes limpida (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes pruinosa A.Cunn. in Lhotsky, New South Wales Mag. 1: 41 (1833).

Corysanthes recurva (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Corysanthes xmiscella (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 447 (2002).

Crangonorchis D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002). Type species: *Pterostylis pedoglossa* Fitzg.

Crangonorchis depauperata (F.M.Bailey) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).

Crangonorchis pedoglossa (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).

Crepidium Blume, Bijdr. 8: 387, f. (1825). Type species: *Crepidium rhedii* Blume.

Crepidium acuminatum (D.Don) Szlach., Fragm. Flor. Geobot., Supp. 3: 123 (1995).

Crepidium fimbriatum (Lavarack) Szlach., Fragm. Flor. Geobot., Supp. 3: 126 (1995).

Crepidium flavovirens D.L.Jones et M.A.Clem., Novon, 7(4): 376 (1998).

Crepidium fontinale D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 8-9, f.1.8, t. (21 Dec. 2006).

Crepidium lawleri (Lavarack et B.Gray) Szlach., Fragm. Flor. Geobot., Supp. 3: 128 (1995).

Crepidium marsupichilum (Upton) Szlach., Fragm. Flor. Geobot., Supp. 3: 129 (1995).

Cryptostylis R.Br., Prod. 317 (1810). Type species: *Cryptostylis erecta* R.Br., fide N.Hallé (1977).

Cryptostylis erecta R.Br., Prod. 317 (1810).

Cryptostylis hunteriana Nicholls, Victorian Naturalist 54: 182, t. 18 (1938).

Cryptostylis leptochila Benth., Fl. Austral. 6: 334 (1873).

Cryptostylis ovata R.Br., Prod. 317 (1810).

Cryptostylis subulata (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 15 (1871).

Cyanicula Hopper et A.P.Br., Lindleyana 15(2): 120 (2000). Type species: *Caladenia gemmata* Lindl.

Cyanicula amplexans (A.S.George) Hopper et A.P.Br., Lindleyana 15(2): 120 (2000).

Cyanicula aperta Hopper et A.P.Br., Austral. Syst. Bot. 17: 229, f. 13 (2004).

Cyanicula ashbyae Hopper et A.P.Br. in N.Hoffman et A.P.Br., Lindleyana 15(2): 120-121 (2000).

Cyanicula caerulea (R.Br.) Hopper et A.P.Br., Lindleyana 15(2): 121 (2000).

Cyanicula fragrans Hopper et A.P.Br., Lindleyana 15(2): 121-123 (2000).

Cyanicula gemmata (Lindl.) Hopper et A.P.Br., Lindleyana 15(2): 123 (2000).

Cyanicula gertrudiae (Ostenf.) Hopper et A.P. Br., Lindleyana 15(2): 123 (2000).

Cyanicula ixiooides (Lindl.) Hopper et A.P.Br. subsp. *ixiooides*, Lindleyana 15(2): 123 (2000).

Cyanicula ixiooides subsp. *candida* Hopper et A.P.Br., Austral. Syst. Bot. 17: 225 (2004).

Cyanicula nikulinskyae Hopper et A.P.Br., Lindleyana 15(2): 123-124 (2000).

Cyanicula sericea (Lindl.) Hopper et A.P. Br., Lindleyana 15(2): 124 (2000).

Cymbidium Sw., Nov. Act. Soc. Sci. Upsal. 6: 70 (1799). Type species: *Cymbidium aloifolium* (L.) Sw.
Cymbidium canaliculatum R.Br., Prod. 331 (1810).
Cymbidium madidum Lindl. in Edwards's, Bot. Reg. 26: Misc. 34, [no. 6, pp 9-10] (1839).
Cymbidium suave R.Br., Prod. 331 (1810).

Cyrtostylis R.Br., Prod. 322 (1810). Type species: *Cyrtostylis reniformis* R.Br.
Cyrtostylis huegelii Endl. in Lehm., Pl. Preiss. 2: 6 (1846).
Cyrtostylis reniformis R.Br., Prod. 322 (1810).
Cyrtostylis robusta D.L.Jones et M.A.Clem., Lindleyana 2(3): 157-60, f. 11-15 (1987).
Cyrtostylis tenuissima (Nicholls et Goadby) D.L.Jones et M.A.Clem., Lindleyana 2(3): 157 (1987).

Davejonesia M.A.Clem., Orchadian 13(11): 487 (2002). Type species: *Bulbophyllum lichenastrum* F.Muell.
Davejonesia aurantiacopurpurea (Nicholls) M.A.Clem., Orchadian 13(11): 487 (2002).
Davejonesia lichenastrum (F.Muell.) M.A.Clem., Orchadian 13(11): 487 (2002).
Davejonesia prenticei (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002).

Demorchis D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiii (2004). Type species: *Gastrodia queenslandica* Dockrill.
Demorchis queenslandica (Dockrill) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiii (June 2004).

Dendrobium Sw., Nov. Act. Soc. Sci. Upsal. 6: 82 (1799)(nom. cons.). Type species: *Dendrobium moniliforme* Sw. (type cons.), *vide* Holttum et al. (1979).
Dendrobium stuartii F.M. Bailey, Proc. Roy. Soc. Queensland 1: 12 (1884).

Dichopus Blume, Mus. Bot. 2: 176 (1856). Type species: *Dichopus insignis* Blume
Dichopus insignis Blume, Mus. Bot. 2: 176 (1855).

Didymoplexis Griffith, Calcutta J. Nat. Hist. 4: 383, t. 17 (1843). Type species: *Didymoplexis pallens* Griffith.
Didymoplexis pallens Griffith, Calcutta J. Nat. Hist. 4: 383, t. 17 (1843).

Dienia Lindl., Bot. Reg. 10: sub t. 825 (1 Sept. 1824). Type species: *Dienia congesta* Lindl.
Dienia montana (Blume) M.A.Clem. et D.L.Jones, Lasianthera 1(1): 41 (1996).

Diplocaulobium (Rchb.f.)Kraenzl., Pflanzenreich Orch.-Mon.-Dendr. 45: 331 (1910). Type species: *Dendrobium nitidissimum* Rchb.f.
Diplocaulobium glabrum (J.J.Sm.) Kraenzl. in Engl., Pflanzenreich Orch.-Mon.-Dendr. 45: 339 (1910).
***Diplocaulobium stelliferum* (J.J.Sm.) A.D.Hawkes, Lloydia 20: 130 (1957).

Diplodium Sw., Ges. Naturf. Freunde Berlin Mag. Neuesten Entdeck. Gesammten Naturk 4: 84 (July 1810). Type species: *Disperis alata* Labill.
Diplodium abruptum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium aestivum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium alatum (Labill.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium alveatum (Garnet) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium angustum (A.S.George) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium aquilonium (D.L.Jones et B.Gray) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium asperum (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium atrans (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium bryophilum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 70 (2002).
Diplodium coccinum (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
Diplodium decurvum (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).

- Diplodium dolichocephalum* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium elegans* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium erythroconchum* (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium fischii* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium grandiflorum* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium hamiltonii* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium hians* (D.L.Jones) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium laxum* (Blackmore) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium longicurvum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium longipetalum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium metcalfei* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium obtusum* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium pulchellum* (Messmer) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium reflexum* (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium revolutum* (R.Br.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium robustum* (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium rogersii* (E.Coleman) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium russellii* (T.E.Hunt) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium scabrum* (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium scoliosum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium striatum* (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 71 (2002).
- Diplodium tenuissimum* (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 72 (2002).
- Diplodium torquatum* (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 72 (2002).
- Diplodium truncatum* (Fitzg.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 74 (2002).

Dipodium R.Br., Prod. 330 (1810). Type species: *Dendrobium punctatum* Sm.

- Dipodium atropurpureum* D.L.Jones, Austral. Orch. Res. 2: 49, f. 61 (1991).
- Dipodium campanulatum* D.L.Jones, Austral. Orch. Res. 2: 49-50, f. 62 (1991).
- Dipodium elegantulum* D.L.Jones, Austral. Orch. Res. 2: 50-51, f. 63 (1991).
- Dipodium ensifolium* F.Muell., Fragm. 5: 42 (1865).
- Dipodium hamiltonianum* F.M.Bailey, Proc. Linn. Soc. New South Wales 6: 140-3 (1881).
- Dipodium pandanum* F.M.Bailey, Queensland Agric. J. 6: 287, t. 187, 188 (1900).
- Dipodium pardalinum* D.L.Jones, Muelleria 9: 105-109, f.1-2 (1996).
- Dipodium punctatum* (Sm.) R.Br., Prod. 331 (1810).
- Dipodium roseum* D.L.Jones et M.A.Clem., Austral. Orch. Res. 2: 51, f. 64 (1991).
- Dipodium stenochilum* O.Schwarz, Repert. Spec. Nov. Regni Veg. 24(659): 80-81 (1927)
- Dipodium variegatum* M.A.Clem. et D.L.Jones, Proc. Roy. Soc. Queensland 98: 128, f. 5 (1987).

**Disa* P.Bergius, Descript. Pl. Cap. 348 (1767). Type species: *Disa uniflora* P.Bergius.

**Disa bracteata* Sw., Kongl. Vetensk. Acad. Nya Handl. 21: 211 (1800).

Diteilis Raf., Herb. Raf. 73 (1833). Type species: *Diteilis nepalensis* Raf., *nom. illeg.* (*Cymbidium bituberculatum* Hook.).

Diteilis collinsii (B.Gray) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiii-xiv (June 2004).

Diteilis petricola D.L.Jones et B.Gray, Austral. Orchid. Res. 5: 73-74, f.3.21, 3.22, t. (21 Dec. 2006).

Diteilis simmondsii (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Diuris Sm., Trans. Linn. Soc. London 4: 222 (1798). Type species: *Diuris aurea* Sm.

Diuris abbreviata Benth., Fl. Austral. 6: 329 (1873).

Diuris aequalis F.Muell. ex Fitzg., Austral. orch. 1(2): [t. 6] (1876).

Diuris alba R.Br., Prod. 326 (1810).

Diuris amplissima D.L.Jones, Austral. Orch. Res. 2: 53-54, f. 65 (1991).

Diuris arenaria D.L.Jones, Orchadian 12(12): 567-568, f. 1, t. (1999).

- Diuris aurea* Smith, Exotic Bot. 1: 15, t. 9 (1805).
- Diuris basaltica* D.L.Jones, Austral. Orchid. Res. 5: 75-76, f.3.9 (21 Dec. 2006).
- Diuris behrii* Schldl., Linnaea 20: 572 (1849).
- Diuris bracteata* Fitzg., Austral. orch. 2(4): [t. 2] (1889).
- Diuris brevifolia* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 46: 148 (1922)
- Diuris brumalis* D.L.Jones, Austral. Orch. Res. 2: 53, f. 66 (1991).
- Diuris byronensis* D.L.Jones, Orchadian 14(3): 132-133, f. 1, t. (2003).
- Diuris callitrophila* D.L.Jones, Orchadian 14(3): 133-135 (2003).
- Diuris carinata* Lindl., Gen. sp. orchid. pl. 510 (Sep. 1840).
- Diuris chrysantha* D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 130-2, f. 7 (1987).
- Diuris chryseopsis* D.L.Jones, Austral. Orch. Res. 3: 74-75, f.4.1 (1998).
- Diuris concinna* D.L.Jones, Austral. Orch. Res. 2: 53-54, f. 67 (1991).
- Diuris conspiciolata* D.L.Jones, Austral. Orch. Res. 2: 54 -55, f. 68 (1991).
- Diuris corymbosa* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).
- Diuris cuneilabris* Rupp, Proc. Linn. Soc. New South Wales 73: 134, f. 1 (1948).
- Diuris curta* D.L.Jones, Austral. Orchid. Res. 5: 76-77, f. 3.9 (21 Dec. 2006).
- Diuris daltonii* (C.Walter) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).
- Diuris dendrobioides* Fitzg., Austral. orch. 1(7): [t. 3] (1882).
- Diuris disposita* D.L.Jones, Austral. Orch. Res. 2: 55, f. 69 (1991).
- Diuris drummondii* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. li (1840).
- Diuris eborensis* D.L.Jones, Austral. Orchid. Res. 5: 77-78, f.3.10, t. (21 Dec. 2006).
- Diuris emarginata* R.Br., Prod. 316 (1810).
- Diuris exitela* D.L.Jones, Austral. Orch. Res. 2: 55-56, f. 70 (1991).
- Diuris filifolia* Lindl. in Edwards's, Bot. Reg.1-23: Swan Riv. Append. li (1840).
- Diuris flavescens* D.L.Jones, Austral. Orch. Res. 2: 56, f. 71 (1991).
- Diuris fragrantissima* D.L.Jones et M.A.Clem., Austral. Orch. Res. 1: 68 (1989).
- Diuris fucosa* D.L.Jones, Austral. Orchid. Res. 5: 78, f.3.11, t. (21 Dec. 2006).
- Diuris goonooensis* Rupp, Victorian Naturalist 72: 110 (1955).
- Diuris gregaria* D.L.Jones, Austral. Orchid. Res. 5: 79-80, f.3.12 (21 Dec. 2006).
- Diuris heberlei* D.L.Jones, Austral. Orch. Res. 2: 56-57, f. 72 (1991).
- Diuris immaculata* D.L.Jones, Austral. Orchid. Res. 5: 80-81 (21 Dec. 2006).
- Diuris laevis* Fitzg., Gard. Chron. (new ser.), 17: 495 (1882).
- Diuris lanceolata* Lindl., Gen. sp. orchid. pl. 508 (1840).
- Diuris laxiflora* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append li (1840).D.
- Diuris longifolia* R.Br., Prod. 316 (1810).
- Diuris luteola* D.L.Jones et B.Gray, Austral. Orch. Res. 2: 57-58, f. 73 (1991).
- Diuris maculata* Sm., Exotic Bot. 1: 57, t. 30 (1804-05).
- Diuris magnifica* D.L.Jones, Austral. Orch. Res. 2: 58, f. 74 (1991).
- Diuris micrantha* D.L.Jones, Austral. Orch. Res. 2: 58-59, f. 75 (1991).
- Diuris minor* (Benth.) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).
- Diuris monticola* D.L.Jones, Austral. Orch. Res. 3: 76-77, f.4.3 (1998).
- Diuris ochroma* D.L.Jones, Muelleria 8(2): 182-184, f. 2 d-f (1994).
- Diuris oporina* D.L.Jones, Austral. Orch. Res. 2: 59-60, f. 77 (1991).
- Diuris orientis* D.L.Jones, Austral. Orch. Res. 3: 77-78, f.4.4 (1998).
- Diuris palustris* Lindl., Gen. sp. orchid. pl. 507 (1840).
- Diuris pardina* Lindl., Gen. sp. orchid. pl. 507 (1840).
- Diuris parvipetala* (Dockrill) D.L.Jones et M.A.Clem., Proc. Roy. Soc. Queensland 98: 132 (1987).
- Diuris pedunculata* R.Br., Prod. 316 (1810).
- Diuris picta* J.Drummond in Hooker's, J. Bot. 5: 347 (1853).
- Diuris platichila* Fitzg., Austral. orch. 2(4): [t. 3] (1891).
- Diuris porrifolia* Lindl. in Edwards's, Bot. Reg. 1-23: Swan. Riv. Append. li (1840).
- Diuris praecox* D.L.Jones, Austral. Orch. Res. 2: 60, f. 78 (1991).
- Diuris protena* D.L.Jones, Austral. Orchid. Res. 5: 81-82 (21 Dec. 2006).
- Diuris pulchella* D.L.Jones, Austral. Orch. Res. 2: 61, f. 79 (1991).
- Diuris punctata* Sm. var. *punctata* Exotic Bot. 1: 13, t. 8 (1804).

- Diuris punctata* Sm. var. *sulfurea* Rupp, Proc. Linn. Soc. New South Wales 69: 73 (1944).
Diuris purdiei Diels, J. Proc. Mueller Bot. Soc. Western Australia_ 1(11): 79 (1903).
Diuris recurva D.L.Jones, Austral. Orch. Res. 2: 61-62, f. 80 (1991).
Diuris secundiflora Fitzg., Austral. orch. 1(4): [t. 9] (1878).
Diuris semilunulata Messmer in Rupp, Orch. New South Wales 139-140 (1943).
Diuris setacea R.Br., Prod. 316 (1810).
Diuris sulphurea R.Br., Prod. 316 (1810).
Diuris tricolor Fitzg., J. Bot. 23: 137 (1885).
Diuris unica D.L.Jones, Austral. Orchid. Res. 5: 82, f.3.13, t. (21 Dec. 2006).
Diuris venosa Rupp, Proc. Linn. Soc. New South Wales 51: 313, f. 1-6 (1926).
Diuris x fastidiosa R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 6-7 (1927).
Diuris xnebulosa D.L.Jones, Austral. Orch. Res. 2: 59, f. 76 (1991).
Diuris xpalachila R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 31: 209-210 (1907).
Diuris xpolymorpha Messmer in Rupp, Orchids New South Wales, Suppl. 142 (1943).

Dockrillia Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981). Type species: *Dendrobium linguiforme* Sw., fide Brieger (1981).

- Dockrillia banksii* D.L.Jones et M.A.Clem., Austral. Orch. Rev. 70(5): 17-21, f., t. (Oct. 2005).
Dockrillia bowmanii (Benth.) M.A.Clem. et D.L.Jones, Lasiathera 1(1): 17 (1996).
Dockrillia brevicauda (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Lasiathera 1(1): 17 (1996).
Dockrillia calamiformis (Loddiges) M.A.Clem. et D.L.Jones, Lasiathera 1(1): 17 (1996).
Dockrillia cucumerina (MacLeay ex Lindl.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia dolichophylla (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Lasiathera 1(1): 17 (1996).
Dockrillia fairfaxii (F.Muell. et Fitzg.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia linguiformis (Sw.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia mortii (F.Muell.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia nugentii (F.M. Bailey) M.A.Clem. et D.L.Jones, Lasiathera 1(1): 18 (1996).
Dockrillia pugioniformis (A.Cunn.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia racemosa (Nicholls) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia rigida (R.Br.) Rauschert, Feddes Repert. 94(7-8): 447 (1983).
Dockrillia schoenina (Lindl.) M.A.Clem. et D.L.Jones, Lasiathera 1(1): 18 (1996).
Dockrillia striolata (Rchb.f.) Rauschert subsp. *striolata*, Feddes Repert. 94 (7-8): 447 (1983).
Dockrillia striolata subsp. *chrysantha* D.L.Jones, Austral. Orch. Res. 3: 9, t. (1998).
Dockrillia sulphurea D.L.Jones et M.A.Clem., Austral. Orchid Rev. 71(3): 15-16, f., t. (2006).
Dockrillia teretifolia (R.Br.) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia wassellii (S.T.Blake) Brieger, Schlechter Orchideen (ed. 3), 1: 745 (1981).
Dockrillia xfoederata (St. Cloud) Rauschert, Feddes Repert. 94(7-8): 446 (1983).
Dockrillia xgrimesii (C.T.White et Summerh.) Rauschert, Feddes Repert. 94(7-8): 446 (1983).

Drakaea Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. Iv (1840). Type species: *Drakaea elastica* Lindl.

- Drakaea elastica* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. Ivi (1840).
Drakaea glyptodon Fitzg., Gard. Chron. (new ser.), 17: 494 (1882).
Drakaea livida J.Drum. in Hooker's, London J. Bot. 1: 628 (1842).
Drakaea thynniphila A.S.George, Nuytsia 5(1): 60, f. 3, F-K (1984).

Drakonorchis (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 403 (2001). Type species: *Caladenia barbarossa* Rchb.f.

- Drakonorchis barbarella* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).
Drakonorchis barbarossa (Rchb.f.) D.L.Jones et M.A.Clem., Orchadian 13(9): 404 (2001).
Drakonorchis drakeoides (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).
Drakonorchis mesocera (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 456 (2002).

Drymoanthus Nicholls, Victorian Naturalist 59: 173-5, f. (1943). Type species: *Drymoanthus minutus* Nicholls.

Drymoanthus minutus Nicholls, Victorian Naturalist 59: 175, f. (1943).

Durabaculum M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002). Type species: *Dendrobium undulatum* R.Br., *vide* Clements and Jones (2002).

Durabaculum fuscum (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 487 (2002).

Durabaculum mirbelianum (Gaud.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 488 (2002).

Durabaculum nindii (W.Hill) M.A.Clem. et D.L.Jones, Orchadian 13(11): 488 (2002).

Durabaculum undulatum M.A.Clem. et D.L.Jones var. *undulatum*, Orchadian 13(11): 489 (2002).

Durabaculum undulatum var. *broomfieldii* (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002).

Eleutheroglossum (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002). Type species: *Dendrobium eleutheroglossum* Schltr.

Eleutheroglossum fellowsii (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 489 (2002).

Elythranthera (Endl.) A.S.George, West Australian Naturalist 9: 6 (1963). Type species: *Glossodia brunonis* Endl.

Elythranthera brunonis (Endl.) A.S.George, West Australian Naturalist 9: 7 (1963).

Elythranthera emarginata (Lindl.) A.S.George, West Australian Naturalist 9: 7 (1963).

Elythranthera ×intermedia (Fitzg.) M.A.Clem., Austral. Orch. Res. 1: 73 (1989).

Empusa Lindl. in Edwards's, Bot. Reg. 10: sub t. 825 (1 Sept. 1824). Type species: *Empusa paradoxa* Lindl.

Empusa habenarina (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Ephippium Blume, Bijdr. 308 (20 Sept.-7 Dec. 1825). Type species: *Ephippium ciliatum* Blume, *vide* Ridl (1893).

Ephippium masdevalliaceum (Kraenzl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).

Epiblema R.Br., Prod. 315 (1810). Type species: *Epiblema grandiflorum* R.Br.

Epiblema grandiflorum R. Br., Prod. 315 (1810).

**Epidendrum* L., Sp. Pl. (ed. 2), 1347 (July-Aug. 1763), *nom. cons.* Type species: *Epidendrum nocturnum* Jacq. (typ. cons.)

**Epidendrum ×obrienianum* Rolfe, Gard. Chron. (ser. 3), 3: 770, f. 103 (1888).

Epipogium Gmelin ex Borkhausen, Tent. Disp. Pl. German. 139 (1792) (*Epipogum*, *Epipogom* orth. var.). Type species: *Satyrium epipogium* L. (*Epipogium aphyllum* Sw.).

Epipogium roseum (D. Don) Lindl., J. Proc. Linn. Soc., Bot. 1: 177 (1857).

Eremorchis D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002). Type species: *Pterostylis allantoidea* R.S.Rogers.

Eremorchis allantoidea (R.S.Rogers) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

Ericksonella Hopper et A.P.Br., Austral. Syst. Bot. 17: 208 (2004). Type species: *Caladenia saccharata* Rchb.f.

Ericksonella saccharata (Rchb.f.) Hooper et A.P.Br., Austral. Syst. Bot. 17: 208 (2004).

Eriochilus R.Br., Prod. 323 (1810). Type species: *Eriochilus autumnalis* R.Br., *nom. inval.*

Eriochilus cucullatus (Labill.) Rchb.f., Beitr. Syst. Pflanzenk. 27 (1871).

Eriochilus dilatatus Lindl. var. *dilatatus*, in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus dilatatus var. *brevifolius* Benth., Fl. Austral. 6: 373 (1873).

Eriochilus latifolius Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus multiflorus Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus petricola D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. viii-ix (June 2004).

Eriochilus scaber Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Eriochilus tenuis Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liii (1840).

Erythrorchis Blume in Rumphia 1: 200 (1837).Type species: *Cyrtosia altissima* Blume.

Erythrorchis cassythoides (A.Cunn. ex Lindl.) Garay, Bot. Mus. Leafl. 30(4): 234 (1986).

Eucosia Blume, Bijdr. 415 (20 Sept.-7 Dec. 1825).Type species: *Eucosia carnea* Blume.

Eucosia umbrosa D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. ix (June 2004).

Eulophia R.Br. ex Lindl. in Edwards's, Bot. Reg. 8: t. 686 (1823)(*nom. cons.*).Type species: *Eulophia guineensis* Lindl. (type cons.).

Eulophia fitzalanii Benth., Fl. Austral. 6: 300 (1873).

**Eulophia graminea* Lindl., Wall. Cat. n. 7372 (1829), *nom nud.*; Gen. sp. orch. pl. 182 (1833).

Eulophia pelorica D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. ix (June 2004).

Eulophia venosa (F.Muell.) Benth., Fl. Austral. 6: 300 (1873).

Eulophia zollingeri (Rchb.f.) J.J.Sm., Flore Buitenzorg 6: 228 (1905).

Flickingeria A.Hawkes, Orchid Weekly 2: 451 (6 Jan.1961).Type species: *Desmotrichum angulatum* Blume, *fide* Hawkes (1961)

Flickingeria clementsii D.L.Jones, Orchadian 14(8): Sci. Suppl. ix-x (June 2004).

Flickingeria nativitatis (Ridley) J.J.Wood, Orchadian 7(6): 145 (1982).

Fruticicola (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).Type species: *Bulbophyllum fruticicola* Schltr.

Fruticicola radicans (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 499 (2002).

Gastrodia R.Br., Prod. 330 (1810).Type species: *Gastrodia sesamoides* R.Br.

Gastrodia crebriflora D.L.Jones, Austral. Orch. Res. 2: 62-63, f. 81 (1991).

Gastrodia entomogama D.L.Jones, Austral. Orch. Res. 2: 63, t. , f. 82 (1991).

Gastrodia lacista D.L.Jones, Austral. Orch. Res. 2: 64, f. 83 (1991).

Gastrodia procera G.W.Carr, Indig. Fl. Fauna Assoc. Misc. Paper 1: 22 (1991).

Gastrodia sesamoides R.Br., Prod. 319 (1810).

Gastrodia urceolata D.L.Jones, Austral. Orch. Res. 2: 64-65, f. 84 (1991).

Gastrodia vescula D.L.Jones, Austral. Orch. Res. 2: 65, f. 85 (1991).

Genoplesium R.Br., Prod. 319 (1810).Type species: *Genoplesium baueri* R.Br.

Genoplesium baueri R.Br., Prod. 310 (1810).

Geodorum Jackson, Bot. Repos. 10: t. 626 (1811).Type species: *Geodorum citrinum* Jackson.

Geodorum densiflorum (Lam.) Schltr., Repert. Spec. Nov. Regni Veg. Beih. 4: 259 (1919).

Glossodia R.Br., Prod. 325-326 (1810).Type species: *Glossodia major* R.Br., *fide* Clements (1989).

Glossodia major R.Br., Prod. 326 (1810).

Glossodia minor R.Br., Prod. 326 (1810).

Grastidium Blume, Bijdr. 333, 433 (20 Sept.-7 Dec. 1825).Type species: *Grastidium salaccense* Blume *fide* Brieger (1981).

Grastidium baileyi (F.v.Muell.) Rauschert, Feddes Repert. 94(7-8): 447 (1983).

Grastidium cancroides (T.E.Hunt) Rauschert, Feddes Repert. 94(7-8): 448 (1983).

Grastidium luteocilium (Rupp) Rauschert, Feddes Repert. 94(7-8): 450 (1983).

Grastidium tozerense (Lavarack) M.A.Clem. et D.L.Jones, Lasianthera, 1(1): 18 (1996).

Habenaria Willd., Sp. pl. 4(1): 5, 44 (1805).Type species: (*Orchis habenaria* L.) *Habenaria macroceratitis* Willd.

Habenaria chlorosepala D.L.Jones, Orchadian 12(10): 461-464, f., t. (1998).

- Habenaria elongata* R. Br., Prod. 313 (1810).
Habenaria euryloba D.L.Jones, Orchadian 13(11): 516-517, f.1 (2002).
Habenaria exilis D.L.Jones, Orchadian 12(10): 464-465, f., t. (1998).
Habenaria ferdinandi Schltr., Repert. Spec. Nov. Regni Veg. Beih. 10: 249 (1912).g.
Habenaria fuscina D.L.Jones, Orchadian 13(11): 517-518, f.2 (2002).
Habenaria halata D.L.Jones, Orchadian 13(11): 518-519, f.3 (2002).
Habenaria harroldii D.L.Jones, Orchadian 12(9): 414-417, f., t. (1998).
Habenaria hymenophylla Schltr., Repert. Spec. Nov. Regni Veg. Beih. 9: 212 (1911).
Habenaria macraithii Lavarack, Orchadian 7(12): 278-9 (1984).
Habenaria ochroleuca R. Br., Prod. 313 (1810).
Habenaria praecox Lavarack et Dockrill., Austrobaileya 5(2): 331-335, f.1 (1999).
Habenaria propinquier Rchb.f., Beitr. Syst. Pflanzenk. 53 (1871).
Habenaria rumphii (Brog.) Lindl., Gen. sp. orchid. pl. 320 (1835).
Habenaria triplonema Schltr., Repert. Spec. Nov. Regni Veg. Beih. 9: 435 (1911).
Habenaria vatia D.L.Jones, Orchadian 14(8): Sci. Suppl. xv (June 2004).
Habenaria xanthantha F.Muell., Fragm. 7: 16 (1869).
- Hetaeria* Blume, Fl. Javae 1: Praef. vii (1828), (nom. cons.). Type species: *Hetaeria oblongifolia* (Blume) Blume, *fide* Adams (1987).
Hetaeria oblongifolia (Blume) Blume, Coll. Orch. Arch. Ind. 102, t. 32 (1858).
- Hydrorchis* D.L.Jones et M.A.Clem., Orchadian 13: 462 (2002). Type species: *Microtis orbicularis* R.S.Rogers.
Hydrorchis cupularis D.L.Jones et G.Brockman, Orchadian 14(11): 518-519, f. 1, t. (2005).
Hydrorchis orbicularis (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(10): 462 (2002).
- Hymeneria* (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 501 (2002). Type species: *Eria obesa* Lindl., *fide* Clements and Jones (2002).
Hymeneria fitzalanii (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 501 (2002).
- Hymenochilus* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002). Type species: *Pterostylis mutica* R.Br.
Hymenochilus bicolor (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).
Hymenochilus cycnocephalus (Fitzg.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).
Hymenochilus muticus (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).
Hymenochilus pratensis (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).
Hymenochilus rubenachii (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 76 (2002).
Hymenochilus wapstrarum (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).
Hymenochilus ziegeleri (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 77 (2002).
- Jonesiopsis* Szlach ex D.L.Jones et M.A.Clem., Orchadian 14(4): 179 (June 2003). Type species: *Caladenia multiclavia* Rchb.f.
Jonesiopsis abbreviata (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
Jonesiopsis bicalliata (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
Jonesiopsis brevisura (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 179 (2003).
Jonesiopsis caesarea (Domin) D.L.Jones et M.A.Clem. subsp. *caesarea*, Orchadian 14(4): 180 (2003).
Jonesiopsis caesarea subsp. *maritima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).
Jonesiopsis caesarea subsp. *transiens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).
Jonesiopsis cairnsiana (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 14(4): 179-180 (2003).
Jonesiopsis capillata (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).
Jonesiopsis chapmanii (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., Orchadian 14(4): 181 (2003).
Jonesiopsis cristata (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 14(4): 180 (2003).

- Jonesiopsis denticulata* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis dimidia* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis dorrienii* (Domin) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis doutchiae* (O.Sarg.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis dundasiae* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis elegans* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis erythrochila* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis evanescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis exilis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *exilis*, *Orchadian* 14(4): 181 (2003).
- Jonesiopsis exilis* subsp. *vanleeuwenii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis filamentosa* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis filifera* (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis flaccida* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis footeana* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis fuscolutescens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 181 (2003).
- Jonesiopsis hiemalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis horistes* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis incensa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis incrassata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis luteola* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis melanema* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis meridionalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis microchila* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis multiclavia* (Rchb.f.) Szlach., *Polish Bot. J.* 46(1): 14 (2001) (as '*Jonesyella multiclavia*').
- Jonesiopsis nobilis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis occidentalis* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis pachychila* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis paradoxa* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis pendens* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *pendens*, *Orchadian* 14(4): 182 (2003).
- Jonesiopsis pendens* subsp. *talbotii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis polychroma* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis postea* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis pulchra* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis radialis* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 182 (2003).
- Jonesiopsis remota* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem. subsp. *remota*, *Orchadian* 14(4): 182 (2003).
- Jonesiopsis remota* subsp. *parva* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis roei* (Benth.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis sanguinea* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis sigmoidea* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis ultima* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis voigtii* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis vulgata* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis wanosa* (A.S.George) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 180 (2003).
- Jonesiopsis xantha* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(4): 183 (2003).
- Jonesiopsis* × *ericksoniae* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* × *exoleta* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* × *lavandulacea* (R.S.Rogers) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* × *resupina* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Jonesiopsis* × *tryphera* (Hopper et A.P.Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).

- Kauorchis* D.L.Jones et M.A.Clem., *Orchadian* 13(11): 499 (2002) (as “*Karorchis*”). Type species: *Bulbophyllum evasum* T.E.Hunt et Rupp.
Kaurorchis evasa (T.E.Hunt et Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 499 (2002).
- Leioanthum* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002). Type species: *Dendrobium bifalce* Lindl.
Leioanthum bifalce (Lindl.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002).
- Leporella* A.S.George, *Nuytsia* 1(2): 18 (1971). Type species: *Leptoceras fimbriata* Lindl.
Leporella fimbriata (Lindl.) A.S.George, *Nuytsia* 1(2): 183 (1971).
- Leptoceras* (R.Br.)Lindl. in Edwards’s, *Bot. Reg.* 1-23: Swan Riv. Append. liii (1 Jan. 1840). Type species: *Caladenia menziesii* R.Br., *fide* George (1971).
Leptoceras menziesii (R.Br.) Lindl., *Gen. sp. orchid.* pl. 416 (Mar. 1840).
- Linguella* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 77 (2002). Type species: *Pterostylis nana* R.Br.
Linguella clavigera (Fitzg.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 77 (2002).
Linguella dilatata (A.S.George) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 78 (2002).
Linguella nana (R.Br.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 77 (2002).
Linguella pyramidalis (Lindl.) D.L.Jones et M. A.Clem., *Austral. Orch. Res.* 4: 78 (2002).
Linguella timothyi D.L.Jones, *Austral. Orchid. Res.* 5: 82-83 (21 Dec. 2006).
- Luisia* Gaud. in Freycinet, *Voy. Uranie* 426, t. 37 (1826). Type species: *Luisia teretifolia* Gaud.
Luisia atacta D.L.Jones, *Austral. Orchid. Res.* 5: 84, f.3.15 (21 Dec. 2006).
Luisia corrugata D.L.Jones, *Austral. Orchid. Res.* 5: 84-85, f.3.16 (21 Dec. 2006).
- Lyperanthus* R.Br., *Prod.* 325 (1810). Type species: *Lyperanthus suaveolens* R.Br., *fide* Clements (1989).
Lyperanthus serratus Lindl., *Gen. sp. orchid.* pl. 393 (1840).
Lyperanthus suaveolens R.Br., *Prod.* 325 (1810).
- Mecopodium* D.L.Jones et M.A.Clem., *Orchadian* 14(8): *Sci. Suppl.* xiv (2004). Type species: *Prasopphyllum parvifolium* Lindl.
Mecopodium parvifolium (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): *Sci. Suppl.* xiv (June 2004).
Mecopodium striatum (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 14(8): *Sci. Suppl.* xiv (June 2004).
- Micropera* Lindl. in Edwards’s, *Bot. Reg.* 18: t. 1522 (1832). Type species: *Aerides pallida* Roxb.
Micropera fasciculata (Lindl.) Garay, *Bot. Mus. Leafl.* 23 (4): 186 (1972).
- Microtatorchis* Schltr. in K.Schum. et Laut., *Nachtr. Fl. Deutsch. Schutzgeb. Südsee* 224 (Nov. 1905.).
Lectotype species: *Microtatorchis perpusilla* Schltr. *vid* A.A.Bullock, *ING card* 015211 (30 Mar. 1958).
Microtatorchis clementsii D.L.Jones et B.Gray, *Orchadian* 15(5): 201-202, f. (2006).
- Microtidium* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 463 (30 Jan. 2002). Type species: *Microtis atrata* Lindl.
Microtidium atratum (Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 463 (30 Jan. 2002).
- Microtis* R.Br., *Prod.* 320 (1810). Type species: *Microtis rara* R.Br., *fide* Garay and H.R.Sweet (1974).
Microtis alba R.Br., *Prod.* 321 (1810).
Microtis angusii D.L.Jones, *Orchadian* 12(1): 10-11, f. (1996).
Microtis arenaria Lindl., *Gen. sp. orchid.* pl. 396 (1840).
Microtis brownii Rchb.f., *Beitr. Syst. Pflanzenk.* 24 (1871).
Microtis densiflora (Benth.) M.A.Clem., *Austral. Orch. Res.* 1: 94 (1989).
Microtis eremaea R.J.Bates, *J. Adelaide Bot. Gard.* 17: 119-120, f. 1A-E (1996).
Microtis eremicola (R.J.Bates) D.L.Jones et M.A.Clem., *Orchadian* 14(8): *Sci. Suppl.* xiv (June 2004).
Microtis familiaris R.J.Bates, *J. Adel. Bot. Gard.* 13: 50-51, f. 1 (1990).

- Microtis frutetorum* Schldl., Linnaea 20: 568 (1847).
Microtis globula R. Bates, J. Adelaide Bot. Gard. 7 (1): 60-62, f. 3, 6C (1984).
Microtis graniticola R.J.Bates, J. Adelaide Bot. Gard. 17: 120, 122-123, f. 1F-I (1996).
Microtis media R.Br., Prod. 321 (1810).
Microtis oblonga R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 339 (1923).
Microtis parviflora R.Br., Prod. 320 (1810).
Microtis pulchella R.Br., Prod. 321 (1810).
Microtis quadrata (R.J.Bates) D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv (June 2004).
Microtis rara R.Br., Prod. 321 (1810).
Microtis unifolia (G.Forst.) Rchb.f., Beitr. Syst. Pfl. 62 (1871).
- Mobilabium* Rupp, North Queensland Naturalist 13(78): 2-4, f. (1946). Type species: *Mobilabium hamatum* Rupp.
Mobilabium hamatum Rupp, North Queensland Naturalist 13(78): 2 (1946).
- Monanthos* (Schltr.) Brieger, Schlechter Orchideen (ed. 3), 1: 660 (1981)(sic 'Monanthus'). Type species: *Dendrobium bilobum* Lindl.
Monanthos malbrownii (Dockrill) Rauschert, Feddes Repert. 94(7-8): 455 (1983)
- Myrmechila* D.L.Jones et M.A.Clem., Orchadian 15(1): 36-37 (2005). Type species: *Chiloglottis formicifera* Fitzg.
Myrmechila formicifera (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).
Myrmechila platyptera (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).
Myrmechila trapeziformis (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 15(1): 88 (2006).
Myrmechila trullata (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).
Myrmechila truncata (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).
- Nemacianthus* D.L.Jones et M.A.Clem., Orchadian 13(10): 440-441 (2002). Type species: *Acianthus caudatus* R.Br.
Nemacianthus caudatus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(10): 441 (2002).
- Nematoceras* Hook.f., Fl. Nov. zel. 1: 249 (1853). Type species: *Nematoceras macranthum* Hook.f. ('*macrantha*'), *fide* Jones and Clements (2002).
Nematoceras dienemum (D.L.Jones) D.L.Jones, M.A.Clem. et Molloy, Orchadian 13(10): 449 (2002).
- Nervilia* Commerson ex Gaud. in Freycinet, Voy. Uranie 421, t. 35 (1829)(*nom. cons.*). Type species: *Nervilia aragoana* Gaud.
Nervilia aragoana Gaud. in Freycinet, Voy. Uranie 422, t. 35 (1829).
Nervilia crocififormis (Zoll. et Mor.) Seidenf., Dansk Bot. Arkiv 32(2): 151 (1978).
Nervilia dallachyana (Benth.) Schltr., Bot. Jahrb. Syst. 39: 48 (1907).
Nervilia holochila (F.Muell.) Schltr., Bot. Jahrb. Syst. 39: 48 (1907).
Nervilia peltata B.Gray et D.L.Jones, Austrobaileya 4(2): 195-198, f.1 (1994).
Nervilia uniflora (F.Muell.) Schltr., Bot. Jahrb. Syst. 39: 48 (1907).
- Oberonia* Lindl., Gen. sp. orchid. pl. 15 (1830). Type species: *Oberonia iridifolia* Lindl., *nom. illeg.* (*Malaxis ensiformis* Sm., *Oberonia ensiformis* (Sm.) Lindl.) (type cons.).
Oberonia attenuata Dockrill, North Queensland Naturalist 29(126): 4, f. (1960).
Oberonia carnosa Lavarack, Austrobaileya 1: 72-74, f. 6 (1977).
Oberonia complanata (A.Cunn.) M.A.Clem. et D.L.Jones, Austral. Orch. Res. 1: 98-99 (1989).
Oberonia crateriformis D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 9-10, f.1.9, 1.10, t.1.a,b (21 Dec. 2006).
Oberonia flavescens D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 10-11, f.1.12, t.1.f (21 Dec. 2006).
Oberonia palmicola F.Muell., Fragm. 2: 24 (1860).
Oberonia rimachila D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11, f.1.13, 1.14, t. 1c,d (21 Dec. 2006).

Oberonia titania Lindl., Fol. Orchid.: Oberonia 1(8) (1859).

Octarrhena Thwait, Enum. Pl. Zeyl. 305 (1861). Type species: *Octarrhena parvula* Thwait.
Octarrhena pusilla (F.M. Bailey) M.A.Clem. et D.L.Jones, Phytologia 73(2): 118 (7 Oct. 1992).

Oligochaetochilus Szlach., Polish Bot. J. 46(1): 23 (2001). Type species: *Pterostylis rufa* R.Br.
Oligochaetochilus aciculiformis (Nicholls) Szlach., Polish Bot. J. 46(1): 23 (2001).
Oligochaetochilus arenicola (M.A.Clem. et J. Stewart) Szlach., Polish Bot. J. 46(1): 23 (2001).
Oligochaetochilus basalticus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
Oligochaetochilus bisetus (Blackmore et Clemesha) Szlach., Polish Bot. J. 46(1): 23 (2001).
Oligochaetochilus boormanii (Rupp) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus calceolus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus chaetophorus (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus cheraphilus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
Oligochaetochilus ciliatus (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus cobarensis (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus commutatus (D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus despectans (Nicholls) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus excelsus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus frenchii D.L.Jones, Orchadian 14(10): 444-446, f. (Dec. 2004).
Oligochaetochilus gibbosus (R.Br.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus hamatus (Blackmore et Clemesha) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus insectifer (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus leptochilus (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus linguus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus macrocalymmus (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus maximus (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus mitchellii (Lindl.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus ovatus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus petrosus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
Oligochaetochilus pictus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 24 (2001).
Oligochaetochilus planulatus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 80 (2002).
Oligochaetochilus praetermissus (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus pusillus (R.S.Rogers) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus roensis (M.A.Clem. et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus rufus (R.Br.) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus saxicola (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
Oligochaetochilus setifer (M.A.Clem., Matthias et D.L.Jones) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus spathulatus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus squamatus (R.Br.) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus validus (Nicholls) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 81 (2002).
Oligochaetochilus woollsii (Fitzg) Szlach., Polish Bot. J. 46(1): 25 (2001).
Oligochaetochilus xerophilus (M.A.Clem.) Szlach., Polish Bot. J. 46(1): 25 (2001).

Oncophyllum D.L.Jones et M.A.Clem., Orchadian 13(9): 420-421 (Sept. 2001). Type species:
Bulbophyllum minutissimum F.Muell.
Oncophyllum globuliforme (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 421 (2001).
Oncophyllum minutissimum (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(9): 421 (2001).

Orthoceras R.Br., Prod. 316-317 (1810). Type species: *Orthoceras strictum* R.Br.

Orthoceras strictum R.Br., Prod. 317 (1810).

Oxysepala Wight, Icon. 5(1): 17 (1851). Type species: *Oxysepala ovalifolia* Wight.

Oxysepala gadgarrensis (Rupp) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).

Oxysepala grandimesensis (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).

Oxysepala lamingtonensis (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).

Oxysepala lewisensis (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 498 (2002).

Oxysepala schilleriana (Rchb.f.) D.L.Jones et M.A.Clem. var. *schilleriana*, Orchadian 13(11): 500 (2002).

Oxysepala schilleriana var. *maritima* D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11-12, f.1.15, t. (21 Dec. 2006).

Oxysepala shepherdii (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).

Oxysepala wadsworthii (Dockrill) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).

Oxysepala windsorensis (B.Gray et D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(11): 500 (2002).

Pachystoma Blume, Bijdr. 6: t. 3, f. 29; 8: 376 (1825). Type species: *Pachystoma pubescens* Blume.

Pachystoma pubescens Blume, Bijdr. 6: t. 3, f. 29; 8: 376 (1825).

Papillilabium Dockrill, Austral. Sarcanth. 31, t. 7 (1967). Type species: *Cleisostoma beckleri* F.Muell.

Papillilabium beckleri (F.Muell. ex Benth.) Dockrill, Austral. Sarcanth. 31, t. 7 (1967).

Papulipetalum (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002). Type species:

Bulbophyllum papulipetalum Schltr., fide Clements and Jones (2002).

Papulipetalum nematopodum (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Paracaleana Blaxell, Contr. New South Wales Natl. Herb. 4: 281(1972). Type species: *Caleana minor* R.Br. = *Sullivania*

Paracaleana alcockii Hopper & A.P.Br., Aust. Syst. Bot.19(3): 222-223, f.2, 6, 7 (2006).

Paracaleana brockmanii Hopper & A.P.Br., Aust. Syst. Bot.19(3): 222-223, f.2, 8, 9 (2006).

Paracaleana dixonii Hopper et A.P.Br., Aust. Syst. Bot.19(3): 228-229, f.2, 12, 13 (2006).

Paracaleana gracilicordata Hopper et A.P.Br., Aust. Syst. Bot.19(3): 229-230, f.2, 14, 15 (2006).

Paracaleana granitica Hopper et A.P.Br., Aust. Syst. Bot.19(3): 230-232, f.2, 16, 17 (2006).

Paracaleana hortiorum Hopper et A.P.Br., Aust. Syst. Bot.19(3): 232-234, f.2, 18, 19 (2006).

Paracaleana lyonsii Hopper et A.P.Br., Aust. Syst. Bot.19(3): 219-221, f. 4, 5 (2006).

Paracaleana parvula Hopper et A.P.Br., Aust. Syst. Bot.19(3): 237-238, f.2, 23, 24 (2006).

Paracaleana terminalis Hopper et A.P.Br., Aust. Syst. Bot.19(3): 239-240, f.2, 25, 26 (2006).

Paracaleana triens Hopper et A.P.Br., Aust. Syst. Bot.19(3): 240-242, f.2, 27, 28 (2006).

Peristeranthus T.E.Hunt, Queensland Naturalist 15: 17 (1954). Type species: *Saccolabium hillii* F.Muell.

Peristeranthus hillii (F.Muell.) T.E. Hunt, Queensland Naturalist 15: 17 (1954).

Peristylus Blume, Bijdr. 6: t. 1, f. 30; 8: 404 (1825)(*nom. cons.*). Type species: *Peristylus grandis* Blume (*type cons.*).

Peristylus banfieldii (F.M.Bailey) Lavarack, Austrobaileya 1(4): 38 (1981).

Peristylus candidus J.J.Sm., Orchid. Java 6: 36 (1905).

Peristylus chlorandrellus D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. x-xi (June 2004).

Petalochilus R.S.Rogers, J. Bot. 62: 65 (1924). Type: *Petalochilus calyciformis* R.S.Rogers, fide Jones et Clements (2001).

Petalochilus alatus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus atrochilus (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus attenuatus (W.Brinsley) (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus aurantiacus (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus campbellii (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus carneus (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

Petalochilus catenatus (Sm.) D.L.Jones et M.A.Clem., Orchadian 13(9): 406 (2001).

- Petalochilus chamaephyllus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 406 (2001).
- Petalochilus cleistanthus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus coactilis* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus curtisepalus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus fuscatus* (Rchb.f.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus gracillimus* (Rupp) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus hillmanii* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus maritimus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus mentiens* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus ornatus* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus pictus* (Nicholls) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus porphyreus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Petalochilus prolatus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus pusillus* (W.M. Curtis) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus quadrifarius* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus sylvicola* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus tonellii* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 410 (2001).
- Petalochilus vulgaris* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 411 (2001).
- Petalochilus xantholeucus* (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 411 (2001).
- Petrorchis* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 83 (2002). Type species: *Pterostylis bicornis* D.L.Jones et M.A.Clem.
- Petrorchis bicornis* (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 83 (2002).
- Phaius* Lour., *Fl. Cochinch.* 517, 529 (1790). Type species: *Phaius grandiflorus* Lour.
- Phaius amboinensis* Blume, *Mus. Bot.* 2: 180 (1856)
- Phaius australis* F.Muell., *Fragm.* 1: 42 (1858).
- Phaius bernaysii* Rowland ex Rchb.f., *Gard. Chron.* (new ser.), 30: 361, t. 1244 (1873).
- Phaius pictus* T.E.Hunt, *Victorian Naturalist* 69: 27 (1952).
- ***Phaius tankervilleae* (Banks ex L'Herit.) Blume, *Mus. Bot.* 2: 177 (1852).
- ***Phaius wallichii* Lindl. in N.Wallich, *Pl. Asiat. Rar.* 2: 46 (1831).
- Phalaenopsis* Blume, *Bijdr.* 7: 294 (1825). Type species: *Epidendrum amabilis* L.
- Phalaenopsis rosenstromii* F.M.Bailey, *Queensland Agric. J.* 17: 231 (1906).
- Pharochilum* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 83 (2002). Type species: *Pterostylis daintreana* Benth.
- Pharochilum daintreanum* (Benth.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 84 (2002).
- Pheladenia* D.L.Jones et M.A.Clem., *Orchadian* 13(9): 411 (Oct. 2001). Type species: *Caladenia deformis* R.Br.
- Pheladenia deformis* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 411 (2001).
- Pholidota* Lindl. ex Hook., *Exot. Fl.* 2, t. 138 (1825). Type species: *Pholidota imbricata* Hook.
- Pholidota imbricata* Hook., *Exot. Fl.* 2, t. 138 (1825).
- Phoringopsis* D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (Feb. 2002). Type species: *Arthrochilus byrnesii* Blaxell.
- Phoringopsis byrnesii* (Blaxell) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (2002).
- Phoringopsis dockrillii* (Lavarack) D.L.Jones et M.A.Clem., *Orchadian* 13(10): 457 (2002).
- Phoringopsis lavarackiana* D.L.Jones, *Orchadian* 14(8): *Sci. Suppl.* xi (June 2004).
- Phreatia* Lindl., *Gen. sp. orchid. pl.* 63 (1830). Type species: *Phreatia elegans* Lindl.
- Phreatia paleata* Rchb.f., *Linnaea* 41: 653 (1877).

Pinalia Lindl., Orch. Scel. 14, 21, 23 (1826). Type species: *Pinalia alba* Buch.-Ham., *ined.* = *Octomeria spicata* D. Don, *fide* Lindl. (1826).

Pinalia kingii (F. Muell.) Kuntze, Rev. Gen. Pl. 679 (1891).

Plectorrhiza Dockrill, Austral. Sarcanth. 27 (1967). Type species: *Cleisostoma tridentata* Lindl.

Plectorrhiza brevilabris (F. Muell.) Dockrill, Austral. Sarcanth. 28, t. 12 (1967).

Plectorrhiza erecta (Fitzg.) Dockrill, Austral. Sarcanth. 28, t. 13 (1967).

Plectorrhiza tridentata (Lindl.) Dockrill, Austral. Sarcanth. 27, t. 14 (1967).

Plexaure Endl., Prodr. Fl. Norfolk. 30. (post 12 May 1833). Type species: *Plexaure limenophylax* Endl.

Plexaure crassiuscula (Nicholls) M.A. Clem. et D.L. Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Plexaure limenophylax Endl., Prodr. Fl. Norf. 30 (1833).

Plexaure listeri (Rolfe) M.A. Clem. et D.L. Jones, Orchadian 14(8): Sci. Suppl. xiv (June 2004).

Plumatichilos Szlach., Polish Bot. J. 46(1): 22 (2001). Type species: *Pterostylis barbata* Lindl.

Plumatichilos barbatum (Lindl.) Szlach., Polish Bot. J. 46(1): 23 (2001).

Plumatichilos plumosum (Cady) Szlach., Polish Bot. J. 46(1): 23 (2001).

Plumatichilos tasmanicum (D.L. Jones) Szlach., Polish Bot. J. 46(1): 23 (2001).

Plumatichilos turfosum (Endl.) Szlach., Polish Bot. J. 46(1): 23 (2001).

Pomatocalpa Breda, Kuhl et Hasselt in Breda, Gen. sp. Orchid. Ascelp. (29), t. [15] (1829). Type species:

Pomatocalpa spicatum Breda.

Pomatocalpa macphersonii (F. Muell.) T.E. Hunt, Queensland Naturalist 16: 27 (1958).

Pomatocalpa marsupiale (Kraenzl.) J.J. Sm., Natuurk. tijdschr. Ned.-Indie 72: 105 (1912).

Praecoxanthus Hopper et A.P. Br., Lindleyana 15(2): 124 (2000). Type species: *Caladenia aphylla* Benth.

Praecoxanthus aphyllus (Benth.) Hopper et A.P. Br., Lindleyana 15(2): 124 (2000).

Prasophyllum R.Br., Prod. 317 (1810). Type species: *Prasophyllum australe* R.Br., *fide* N. Hallé (1977).

Prasophyllum affine Lindl., Gen. sp. orchid. pl. 516 (1830).

Prasophyllum album R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 211, t. XA, f. 1-9 (1909).

Prasophyllum alpestre D.L. Jones, Austral. Orch. Res. 3: 98-99, f. 6.1 (1998).

Prasophyllum alpinum R.Br., Prod. 318 (1810).

Prasophyllum amoenum D.L. Jones, Austral. Orch. Res. 3: 99-100, f. 6.2 (1998).

Prasophyllum anticum D.L. Jones et D.T. Rouse, Austral. Orchid. Res. 5: 143-144, f. 5.1, t. (21 Dec. 2006).

Prasophyllum apoxychilum D.L. Jones, Austral. Orch. Res. 3: 100-101, f. 6.3 (1998).

Prasophyllum appendiculatum Nicholls, Victorian Naturalist 66: 212, f. F-J (1950).

Prasophyllum atratum D.L. Jones, Austral. Orchid. Res. 5: 144-145, f. 5.2, t. (21 Dec. 2006).

Prasophyllum australe R.Br., Prod. 318 (1810).

Prasophyllum bagoensis D.L. Jones, Orchadian 13(4): 150-151, f. 1 (2000).

Prasophyllum barnettii D.L. Jones et D.T. Rouse, Austral. Orchid. Res. 5: 145-146, f. 5.3, t. (21 Dec. 2006).

Prasophyllum beatrix D.L. Jones et D.T. Rouse, Austral. Orchid. Res. 5: 146, f. 5.4, t. (21 Dec. 2006).

Prasophyllum brevilabre (Lindl.) Hook.f., Fl. Tasman. 2: 11, t. 110, f. A. (1858).

Prasophyllum brownii Rehb.f., Beitr. Syst. Pflanzenk. 16 (1871).

Prasophyllum calcicola R.J. Bates, J. Adel. Bot. Gard. 11: 179, fig. 1 (20 Jul. 1989).

Prasophyllum campestre R.J. Bates et D.L. Jones, Austral. Orch. Res. 2: 75-76, f. 101 (1991).

Prasophyllum canaliculatum D.L. Jones, Orchadian 12(3): 125-127, t., f. (1997).

Prasophyllum candidum R.J. Bates et D.L. Jones, Austral. Orch. Res. 2: 76-77, f. 102 (1991).

Prasophyllum caricetum D.L. Jones, Orchadian 13(4): 151-155, f. 2 (2000).

Prasophyllum castaneum D.L. Jones, Austral. Orch. Res. 3: 102-103, f. 6.4 (1998).

Prasophyllum catenemum D.L. Jones et D.T. Rouse, Austral. Orchid. Res. 5: 146-147, f. 5.5 (21 Dec. 2006).

Prasophyllum caudiculum D.L. Jones, Orchadian 13(4): 155-156, f. 3 (2000).

Prasophyllum colemaniae R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 47: 337 (1923).

- Prasophyllum collinum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 147-148, f. 5.6 (21 Dec. 2006).
- Prasophyllum concinnum* Nicholls, Victorian Naturalist 64: 232, f. A-E (1948).
- Prasophyllum constrictum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 213-4, t. 13 B, f. 1-5 (1909).
- Prasophyllum correctum* D.L.Jones, Novon 4(2): 106-108 (1994).
- Prasophyllum crebriflorum* D.L.Jones, Muellera 18: 103-1045, f. 3 (2004).
- Prasophyllum cyphochilum* Benth., Fl. Austral. 5: 340 (1873).
- Prasophyllum diversiflorum* Nicholls, Victorian Naturalist 59: 8, 12, f. A-L (1942).
- Prasophyllum dossenum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 77-78, f. 104 (1991).
- Prasophyllum drummondii* Rchb.f., Beitr. Syst. Pflanzenk. 69 (1871).
- Prasophyllum elatum* R.Br., Prod. 318 (1810).
- Prasophyllum erythrocommum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 148-149, f.5.7, t. (21 Dec. 2006).
- Prasophyllum exilis* D.L.Jones et R.J. Bates, Austral. Orch. Res. 2: 78, f. 105 (1991).
- Prasophyllum favonium* D.L.Jones, Austral. Orch. Res. 3: 104-105, f.6.5 (1998).
- Prasophyllum fecundum* R.J.Bates, J. Adelaide Bot. Gard. 11: 189, f. 1 (20 July 1989).
- Prasophyllum fimbria* Rchb.f., Beitr. Syst. Pflanzenk. 60 (1871). rald s.n. (holo NSW).
- Prasophyllum fitzgeraldii* R.S.Rogers et Maiden, Trans. & Proc. Roy. Soc. South Australia 33: 216, IX, t. 9A, F. 1-8 (1909).
- Prasophyllum flavum* R.Br., Prod. 318 (1810).
- Prasophyllum fosteri* D.L.Jones, Orchadian 13(4): 156-157, f. 4 (2000).
- Prasophyllum frenchii* F.Muell., Victorian Naturalist 6: 126 (1889).
- Prasophyllum fuscum* R.Br., Prod. 318 (1810).
- Prasophyllum giganteum* Lindl.in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv_ (1840).
- Prasophyllum gilgai* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 149-150, t. (21 Dec. 2006).
- Prasophyllum goldsackii* J. Weber et R. Bates, J. Adelaide Bot. Gard. 1: 167, f.1 (1978).
- Prasophyllum gracile* Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv (1840).
- Prasophyllum gracillimum* Nicholls, Victorian Naturalist 64: 175, f. G-I (1948).
- Prasophyllum helophilum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 150-151, f.5.9 (21 Dec. 2006).
- Prasophyllum hians* Rchb.f., Beitr. Syst. Pflanzenk. 59, in obs. 61 (1871).
- Prasophyllum hygrophilum* D.L.Jones et D.Rouse, Orchadian 14(6): 282-284, f. 1 (2003).
- Prasophyllum incompositum* D.L.Jones, Austral. Orch. Res. 2: 78-79, f. 106 (1991).
- Prasophyllum incurvatum* D.L.Jones, Muellera 18: 103-1045, f. 3 (2004).
- Prasophyllum incurvum* D.L.Jones, Austral. Orch. Res. 3: 106-107, f.6.6 (1998).
- Prasophyllum lanceolatum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 44: 325 (1920).
- Prasophyllum limnetes* D.L.Jones, Austral. Orchid. Res. 5: 151-152 (21 Dec. 2006).
- Prasophyllum lindleyanum* Rchb.f., Beitr. Syst. Plf. 3: 58 (1871).
- Prasophyllum litorale* R.J.Bates, J. Adelaide Bot. Gard. 13: 59 (1990).
- Prasophyllum maccanii* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 152-153, f.5.9, t. (21 Dec. 2006).
- Prasophyllum macrostachyum* R.Br., Prod. 318 (1810).
- Prasophyllum macrotys* Lindl.in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv (1840).
- Prasophyllum milfordense* D.L.Jones, Austral. Orch. Res. 3: 107-108, f. 6.7 (1998).
- Prasophyllum minus* D.L.Jones, Orchadian 14(8): 372-373, f.1, t. (2004).
- Prasophyllum montanum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 79-80, f. 107 (1991).
- Prasophyllum morganii* Nicholls, Victorian Naturalist 46: 179, t. 7 (1930).
- Prasophyllum murfetii* D.L.Jones, Orchadian 13(4): 160-161, f. 5 (2000).
- Prasophyllum niphopedium* D.L.Jones, Orchadian 13(4): 161-162, f. 6 (2000).
- Prasophyllum occidentale* R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 32: 11 (1908); emend Trans. & Proc. Roy. Soc. South Australia 33: 214, Pl. B X II, f. 1-9 (1909).
- Prasophyllum occultans* R.J.Bates, J. Adelaide Bot. Gard. 11: 192, f. 2. (20 July 1989).
- Prasophyllum odoratissimum* D.L.Jones, Orchadian 12(2): 53-55, f. (1996).
- Prasophyllum odoratum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 209, t. 9b, f. 1-9 (1909).

- Prasophyllum olidum* D.L.Jones, Austral. Orch. Res. 3: 108-109, f. 6.8 (1998).
- Prasophyllum ovale* Lindl.in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. liv_(1840).
- Prasophyllum pallens* D.L.Jones, Orchadian 13(4): 162-167, f. 7 (2000).
- Prasophyllum pallidum* Nicholls, Proc. Roy. Soc. Victoria (new ser.) 46: 33, f. P-U (1933).
- Prasophyllum parviflorum* Nicholls, Victorian Naturalist 57: 191, f. A-I (1941).
- Prasophyllum patens* R.Br., Prod. 318 (1810).
- Prasophyllum paulinae* D.L.Jones et M.A.Clem., Nuytsia 10(3): 414-16, f. 3 (1996).
- Prasophyllum perangustum* D.L.Jones, Austral. Orch. Res. 3: 109-110, f. 6.9 (1998).
- Prasophyllum petilum* D.L.Jones et R.J. Bates, Austral. Orch. Res. 2: 80, f. 108 (1991).
- Prasophyllum plumiforme* Fitzg., Gard. Chron. (new ser.) 17: 495 (1882).
- Prasophyllum praecox* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 153, f.5.10, t. (21 Dec. 2006).
- Prasophyllum pruinatum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 33: 211-2, t. 11B, f. 1-8 (1909).
- Prasophyllum pulchellum* D.L.Jones, Austral. Orch. Res. 3: 110-111, f. 6.10 (1998).
- Prasophyllum pyriforme* E.Coleman, Victorian Naturalist 49: 195, t. 14 (1932).
- Prasophyllum readii* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 154-155, f.5.11, t. (21 Dec. 2006).
- Prasophyllum regium* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 42: 27 (1918).
- Prasophyllum retroflexum* D.L.Jones, Orchadian 13(4): 167-169, f. 8 (2000).
- Prasophyllum robustum* (Nicholls) M.A.Clem. et D.L.Jones, Austral. Orchid Res. 1: 117 (1989).
- Prasophyllum rogersii* Rupp, Proc. Linn. Soc. New South Wales 53: 340 (1928).
- Prasophyllum rostratum* Lindl., Gen. sp. orchid. pl. 516 (1840).
- Prasophyllum sargentii* (Nicholls) A.S.George, Nuytsia, 1(2): 189 (1971).
- Prasophyllum secutum* D.L.Jones, Austral. Orch. Res. 3: 113-114, f. 6.11 (1998).
- Prasophyllum solstitium* D.L.Jones, Orchadian 13(4): 169-170, f. 9 (2000).
- Prasophyllum sphacelatum* D.L.Jones, Muelleria. 9: 59-61, f. 4 (1996).
- Prasophyllum spicatum* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 80-81, f. 109 (1991).
- Prasophyllum stellatum* D.L.Jones, Austral. Orch. Res. 3: 115-116, f. 6.13 (1998).
- Prasophyllum suaveolens* D.L.Jones et R.J.Bates, Muelleria 8(2): 184-185, f. 2 g-j (1994).
- Prasophyllum subbisectum* Nicholls, Victorian Naturalist 53: 72, f. A-H (1936).
- Prasophyllum suttonii* R.S.Rogers et B. Rees, Proc. Roy. Soc. Victoria (new ser.) 25: 112, t. 6, f. A-C (1912).
- Prasophyllum sylvestre* R.J. Bates et D.L.Jones, Austral. Orch. Res. 2: 81-82, f. 110 (1991).
- Prasophyllum tadgellianum* R.S.Rogers, Trans. & Proc. Soc. South Australia 47: 338-9 (1923).
- Prasophyllum taphanix* D.L.Jones, Orchadian 14(8): 373-374, f.2, t. (2004).
- Prasophyllum triangulare* Fitzg., Gard. Chron. (new ser.) 17: 495 (1882).
- Prasophyllum truncatum* Lindl., Gen. sp. orchid. pl. 513 (1840).
- Prasophyllum tunbridgense* D.L.Jones, Austral. Orch. Res. 3: 117-118, f. 6.15 (1998).
- Prasophyllum validum* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 7 (1927).
- Prasophyllum viretrum* D.L.Jones et D.T.Rouse, Austral. Orchid. Res. 5: 155-156, f.5.12, t. (21 Dec. 2006).
- Prasophyllum wallum* R.J.Bates et D.L.Jones, Austral. Orch. Res. 2: 82, f. 111 (1991).
- Prasophyllum wilkinsoniorum* D.L.Jones, Orchadian 13(4): 170-172, f. 10 (2000).
- Pseudovanilla* Garay, Bot. Mus. Leafl. 30(4): 214 (1986).Type species: *Ledgeria foliata* F.Muell.
- Pseudovanilla foliata* (F.Muell.) Garay, , Bot. Mus. Leafl. 30(4): 235 (1986).
- Pterostylis* R.Br., Prod. 326 (1810)(*nom. cons.*).Type species: *Pterostylis curta* R.Br. (type cons.).
- Pterostylis acuminata* R.Br., Prod. 326-327 (1810).
- Pterostylis alpina* R.S.Rogers, Proc. Roy. Soc. Victoria (new ser.) 28: 108-109, t. 9 (1915).
- Pterostylis anatona* D.L.Jones, Orchadian 12 (6): 245-246, fig. (1997).
- Pterostylis aneba* D.L.Jones, Austral. Orchid. Res. 5: 85-86, f.3.17, t. (21 Dec. 2006).
- Pterostylis baptistii* Fitzg., Austral. orch. 1(1): [t. 2] (1875).
- Pterostylis crassichila* D.L.Jones, Austral. Orchid. Res. 5: 86 (21 Dec. 2006).
- Pterostylis cucullata* R.Br. subsp. *cucullata*, Prod. 327 (1810).
- Pterostylis cucullata* subsp. *syivicola* D.L.Jones, Austral. Orchid. Res. 5: 86-87, f.3.18 (21 Dec. 2006).

- Pterostylis curta* R.Br., Prod. 326 (1810).
Pterostylis dubia R.Br., Prod. 328 (1810).
Pterostylis erecta T.E.Hunt, Proc. Roy. Soc. Queensland 69: 89, fig. (1958).
Pterostylis falcata R.S.Rogers, Proc. Roy. Soc. Victoria (new ser.) 28(1): 106-107, t. 9 (1915).
Pterostylis foliata Hook.f., Fl. nov.-zel. 1: 249 (1853).
Pterostylis furcata Lindl., Gen. sp. orchid. pl. 390 (1840).
Pterostylis hildae Nicholls, Queensland Naturalist 10: 39-40, t. 3 (1937).
Pterostylis hispidula Fitzg., Austral. orch. 1(6): [t. 5] (1880).
Pterostylis lustra D.L.Jones, Austral. Orchid. Res. 5: 87, f.3.19 (21 Dec. 2006).
Pterostylis monticola D.L.Jones, Muellera 8(2): 189-190, fig. 3h-k (1994).
Pterostylis nutans R.Br., Prod. 327 (1810).
Pterostylis oblonga D.L.Jones, Austral. Orchid. Res. 5: 87-88 (21 Dec. 2006).
Pterostylis oreophila Clemesha, Orchadian 4 (11): 110, fig. (1974).
Pterostylis pedunculata R.Br., Prod. 327 (1810).
Pterostylis procera D.L.Jones et M.A.Clem., Austral. Orch. Res. 1: 125, fig. 3A-C (1989).
Pterostylis riparia D.L.Jones, Austral. Orchid. Res. 5: 88, t. (21 Dec. 2006).
Pterostylis scabrifida Lindl., Gen. sp. orchid. pl. 389 (1840).
Pterostylis stricta Clemesha et B.Gray, Orchadian 4 (2): 18-22, fig. (1972).
Pterostylis subtilis D.L.Jones, Austral. Orchid. Res. 5: 88, f.3.20 (21 Dec. 2006).
Pterostylis ×*aenigma* D.L.Jones et M.A.Clem., Muellera 8(1): 73-75, fig. 1a-e (1993).
Pterostylis ×*ingens* (Rupp) D.L.Jones, Orchadian 5: 54 (1976).
- Pyrorchis* D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994). Type species: *Lyperanthus nigricans* R.Br.
Pyrorchis forrestii (F.Muell.) D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994).
Pyrorchis nigricans (R. Br.) D.L.Jones et M.A.Clem. Phytologia 77(6): 499 (1994).
- Ranorchis* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002). Type species: *Pterostylis sargentii* C.R.P.Andrews.
Ranorchis sargentii (C.R.P.Andrews) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002).
- Rhinerrhiza* Rupp, Victorian Naturalist 67: 206 (1951). Type species: *Sarcochilus divitiflora* Benth.
Rhinerrhiza divitiflora (F.Muell. ex Benth.) Rupp, Victorian Naturalist 67: 206 (1951).
- Rhinerrhizopsis* Ormerod, Oasis, Suppl. 1: 2 (2001). Type species: *Thrixspermum moorei* Rchb.f.
Rhinerrhizopsis matutina D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 11-12, f. 1.15 (21 Dec. 2006).
- Rhipidorchis* D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xiv-xv (2004). Type species: *Oberonia micrantha* A.Rich.
Rhipidorchis micrantha (A.Rich.) D.L.Jones et M.A.Clem., Orchadian 14(8: Scientific Suppl.): xv (June 2004).
- Rhizanthella* R.S.Rogers, J. Roy. Soc. West Australia 15: 1 (1928). Type species: *Rhizanthella gardneri* R.S.Rogers.
Rhizanthella gardneri R.S.Rogers, J. Roy. Soc. West Australia 15: 1 (1928).
Rhizanthella omissa D.L.Jones et M.A.Clem., Orchadian 15(3): 131-133, f. (2006).
Rhizanthella slateri (Rupp) M.A.Clem. et P.J.Cribb, Kew Mag. 1(2): 84-91 (1984).
- Rhomboda* Lindl., J. Linn. Soc., Bot. 1: 181 (21 Mar. 1857). Type species: *Rhomboda longifolia* Lindl.
Rhomboda polygonoides (F.Muell.) Ormerod, Orchadian 11(7): 333 (1995).
- Rimacola* Rupp, Victorian Naturalist 58: 188 (1942). Type species: *Lyperanthus ellipticus* R.Br.
Rimacola elliptica (R.Br.) Rupp, Victorian Naturalist 58: 188 (1942).
- Robiquetia* Gaud. in Freycinet, Voy. Monde Bot. 426 (1829). Type species: *Robiquetia ascendens* Gaud.

Robiquetia gracilistipes (Schltr.) J.J.Sm., Natuurk. Tijdschr. Nederl. Ind. 72: 43 (1912).

Robiquetia wassellii Dockrill, Austral. Sarcanth. 7, t. 19 (1967).

Saccolabiopsis J.J.Sm., Bull. Jard. Bot. Buitzenorg 26: 93 (1918). Type species: *Saccolabiopsis bakhuiizenii* J.J.Sm.

Saccolabiopsis armitii (F.Muell.) Dockrill, Austral. Sarcanth. 30, t. 20 (1967).

Saccolabiopsis rectifolia (Dockrill) Garay, Bot. Mus. Leafl. 23(4): 198 (1972).

Salacistis Rchb.f., Xenia Orchid. 1: 214 (21 Nov.1856). Type species: *Salacistis novembrilis* Rchb.f.

Salacistis ochroleuca (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 14(8): Sci. Suppl. xv (June 2004).

Sarcanthopsis Garay, Bot. Mus. Leafl. 23(4): 198-199 (30 June 1972). Type species: *Sarcanthus nagarensis* Rchb.f.

Sarcanthopsis warocqueana (Rolfe) Garay, Bot. Mus. Leafl. 23: 199 (30 June 1972).

Sarcocadetia (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002). Type species: *Dendrobium funiforme* Blume.

Sarcocadetia wariana (Schltr.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 490 (2002).

Sarcochilus R.Br., Prod. 332 (1810). Type species: *Sarcochilus falcatus* R.Br.

Sarcochilus aequalis D.L.Jones et M.A.Clem., Phytologia 71(4): 322-325, f. 1 (1991).

Sarcochilus argochilus D.L.Jones et M.A.Clem., Austral. Orch. Rev. 71(2): 21-23, t. (2006).

Sarcochilus australis (Lindl.) Rchb.f. in Walp., Ann. bot. syst. 6: 501 (1861).

Sarcochilus borealis (Nicholls) M.A.Clem. et D.L.Jones, Austral. Orch. Res. 1: 131 (1989).

Sarcochilus ceciliae F.Muell., Fragm. 5: 42, t. 42 (1865).

Sarcochilus dilatatus F.Muell., Fragm. 1: 191 (1859).

Sarcochilus eriochilus Fitzg., J. Bot. 29: 153 (1891).

Sarcochilus falcatus R.Br., Prod. 332 (1810).

Sarcochilus fitzgeraldii F.Muell., Fragm. 7: 115 (1870).

Sarcochilus hartmannii F.Muell., Fragm. 8: 248 (1874).

Sarcochilus hillii (F.Muell.) F.Muell., Fragm. 2: 94 (1860).

Sarcochilus hirticalcar (Dockrill) M.A.Clem. et B.J.Wallace, Austral. Orch. Res. 1: 133 (1989).

Sarcochilus minutiflos F.M. Bailey, Compr. cat. Queensland pl. 845, f. 974 (1913).

Sarcochilus parviflorus Lindl. in Edwards', Bot. Reg. 24: Misc. 34 (1838).

Sarcochilus roseus (Clemesha) Clemesha, Orchadian 3: 35-6 (1969).

Sarcochilus serrulatus D.L.Jones, Victorian Naturalist 89: 344, f. 1 (1972).

Sarcochilus spathulatus R.S. Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 1 (1927).

Sarcochilus weinthalii F.M. Bailey, Queensland Agric. J. 13: 346 (1903).

Schistotylus Dockrill, Austral. Sarcanth. 30, t. 43 (1967). Type species: *Cleisostoma gemmatum* Rupp.

Schistotylus purpuratus (Rupp) Dockrill, Austral. Sarcanth. 30, t. 43 (1967).

Schoenorchis Blume, Bijdr. 6: t. 3, f. 23; 8: 361 (1825). Type species: *Schoenorchis juncifolia* Blume.

Schoenorchis micrantha Reinwardt ex Blume, Bijdr. 1(8): 362 (1825).

Schoenorchis sarcophylla Schltr., Repert. Spec. Nov. Regni Veg. Beih. 1: 1022 (1914).

Serpenticaulis M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002). Type species: *Bulbophyllum bowkettiae* F.M.Bailey.

Serpenticaulis bowkettiae (F.M.Bailey) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Serpenticaulis johnsonii (T.E.Hunt) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Serpenticaulis kirkwoodiae (T.E.Hunt) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Serpenticaulis whitei (T.E.Hunt et Rupp) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Serpenticaulis wolfei (B.Gray et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 500 (2002).

Simpliglottis Szlach., Polish Bot. J. 46(1): 13 (2001). Type species: *Chiloglottis valida* D.L.Jones.

Simpliglottis chlorantha (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis cornuta (Hook.f.) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis grammata (G.W.Carr) J.Jeanes, Muelleria 16: 82 (2002).
Simpliglottis gunnii (Lindl.) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis jeanesii (D.L.Jones) J.Jeanes, Muelleria 16: 82 (2002).
Simpliglottis pluricallata (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis triceratops (D.L.Jones) J.Jeanes, Muelleria 16: 82 (2002).
Simpliglottis turfosa (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).
Simpliglottis valida (D.L.Jones) Szlach., Polish Bot. J. 46(1): 13 (2001).

Spathoglottis Blume, Bijdr. 6: t. 2, f. 76, 8: 400 (1825). Type species: *Spathoglottis plicata* Blume.
Spathoglottis paulinae F.Muell., Fragm. 6: 95 (1867).
Spathoglottis plicata Blume, Bijdr. 401, t. 76 (1825).

Speculantha D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 86 (2002). Type species: *Pterostylis parviflora* R.Br.
Speculantha aphylla (Lindl.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha atriola (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha nigricans (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha parviflora (R.Br.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha uliginosa (D.L.Jones) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 87 (2002).
Speculantha vernalis D.L.Jones, Orchadian 15(6): 277-279, f., t. (2006).

Spiculaea Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840). Type species: *Spiculaea ciliata* Lindl.
Spiculaea ciliata Lindl. in Edwards's, Bot. Reg. 1-23: Swan Riv. Append. lvi (1840).

Spilorchis D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005). Type species: *Bulbophyllum weinthalii* R.S.Rogers
Spilorchis weinthalii (R.S.Rogers) D.L.Jones et M.A.Clem. subsp. *weinthalii*, Orchadian 15(1): 37 (2005).
Spilorchis weinthalii subsp. *striata* (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 15(1): 37 (2005).

Spiranthes Rich., Orchideis Eur. Annot. 20, 28, 36 (1817); Mem. Mus. Hist. Nat. Paris 4: 42, 50, 58 (1818)(nom. cons.). Type species: *Spiranthes autumnalis* Rich., *nom. illeg.* (*Ophrys spiralis* L., *S. spiralis* (L.)K. Koch) (type cons.).
Spiranthes australis (R.Br.) Lindl. in Edwards', Bot. Reg. 10: sub t. 823 (1824).

Stammorchis D.L.Jones et M.A.Clem., Austral. Orch. Res. 3: 87 (2002). Type species: *Pterostylis recurva* Benth.
Stammorchis recurva (Benth.) D.L.Jones et M. A.Clem., Austral. Orch. Res. 4: 89 (2002).

Stegostyla D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001). Type species: *Caladenia gracilis* R.Br.
Stegostyla alpina (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 411 (2001).
Stegostyla angustata (Lindl.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla atrata (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla clarkiae (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla congesta (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla cracens (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla cucullata (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla dimorpha (Fitzg.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla gracilis (R.Br.) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla hildae (Pescott et Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla iridescens (R.S.Rogers) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).
Stegostyla praecox (Nicholls) D.L.Jones et M.A.Clem., Orchadian 13(9): 412 (2001).

- Stegostyla testacea* (R.Br.) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 412 (2001).
Stegostyla transitoria (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 13(9): 412 (2001).
- Stilbophyllum* D.L.Jones et M.A.Clem., *Orchadian* 13(11): 490 (2002)(sic '*Stelbophyllum*'). Type species: *Bulbophyllum toressae* F.M.Bailey.
Stilbophyllum toressae (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 485 (2002).
- Sullivania* F.Muell., *J. Proc. Roy. Soc. New South Wales* 15: 229 (1882). Type species: *Caleya sullivanii* F.Muell., *fide* Jones and Clements (2005).
Sullivania disjuncta (D.L.Jones) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
Sullivania minor (R. Br.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
Sullivania nigrita (J.Drummond ex Lindl.) D.L.Jones et M.A.Clem., *Orchadian* 15(1): 36 (2005).
- Taeniophyllum* Blume, *Bijdr.* 6: t. 3, f. 70: 8: 355, t. 70 (1825). Type species: *Taeniophyllum obtusum* Blume.
Taeniophyllum confertum B.Gray et D.L.Jones, *Orchadian* 8(2): 42-43, f. (1984).
Taeniophyllum cymbiforme T.E.Hunt, *North Queensland Naturalist* 14(82): 20-21, f. (1947).
Taeniophyllum hasseltii Rchb.f., *Xenia Orch.* 2: 68 (1863).
Taeniophyllum lobatum Dockrill, *Victorian Naturalist* 73: 45, f. (1956).
Taeniophyllum malianum Schltr., *Repert. Spec. Nov. Regni Veg. Beih.* 1: 1022 (1914).
Taeniophyllum muelleri Benth., *Fl. Austral.* 6: 291 (1873).
Taeniophyllum wilkianum T.E.Hunt, *North Queensland Naturalist* 14(80): 3, f. (1946).
- Tainia* Blume, *Bijdr.* 6: t. 5, f. 48; 7: 354 (1825). Type species: *Tainia speciosa* Blume.
Tainia trinervis (Blume) Rchb.f., *Bonplandia* 5: 54 (1857).
- Taurantha* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 85 (2002). Type species: *Pterostylis ophioglossa* R.Br.
Taurantha collina (Rupp) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 89 (2002).
Taurantha concinna (R.Br.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 89 (2002).
Taurantha ophioglossa (R.Br.) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 89 (2002).
Taurantha taurus (M.A.Clem. et D.L.Jones) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 89 (2002).
Taurantha xonoglossa (Upton) D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 4: 91 (2002).
- Tetrabaculum* M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002). Type species: *Dendrobium tetragonum* A.Cunn.
Tetrabaculum cacaui (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002).
Tetrabaculum capitisyork (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002).
Tetrabaculum melaleucaphilum (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002).
Tetrabaculum tetragonum (A.Cunn.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 490 (2002).
- Thelasis* Blume, *Bijdr.* 6: t. 2, f. 75; 8: 385, t. 75 (1825). Type species: *Thelasis carinata* Blume.
Thelasis capitata Blume, *Bijdr.* 8: 386 (1825).
Thelasis carinata Blume, *Bijdr.* 8: 385 (1825).
- Thelychiton* Endl., *Prod. Fl. Norf.* 32 (1833). Type species: *Thelychiton macropus* Endl., *fide* Clements (1989).
Thelychiton adae (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton biconvexus D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 36, t. (21 Dec. 2006).
Thelychiton brachypus Endl., *Prodr. Fl. Norf.* 33 (1833).
Thelychiton capricornicus (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton carnarvonensis (P.B.Adams) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
Thelychiton coriaceus D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 37-38, t. (21 Dec. 2006).

- Thelychiton curvicaulis* (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton epiphyticus* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 39 (21 Dec. 2006).
- Thelychiton falcorostrus* (Fitzg.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton finniganensis* (D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton fleckeri* (Rupp et C.T.White) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton gracilicaulis* (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton howeanus* (Maiden) M.A.Clem. et D.L.Jones, *Orchadian* 15(1): 41 (2005).
- Thelychiton jonesii* (Rendle) M.A.Clem. et D.L.Jones subsp. *jonesii*, *Orchadian* 13(11): 491 (2002).
- Thelychiton jonesii* subsp. *bancroftianus* (Rchb.f.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton jonesii* subsp. *blackburnii* (Nicholls) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton kingianus* (Bidw. ex Lindl.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton macropus* Endl., *Prodr. Fl. Norf.* 33 (1833).
- Thelychiton moorei* (F.Muell.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton nitidus* (F.M.Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton pedunculatus* (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton pulcherrimus* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton rex* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton rupicola* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 40-41 (21 Dec. 2006).
- Thelychiton speciosus* (Sm.) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton spectabilis* D.L.Jones et M.A.Clem., *Austral. Orchid. Res.* 5: 37-38, t. (21 Dec. 2006).
- Thelychiton tarberi* (M.A.Clem. et D.L.Jones) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton* ×*delicatus* (F.M. Bailey) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton* ×*gracillimus* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton* ×*kestevenii* (Rupp) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 491 (2002).
- Thelychiton* ×*ruppiousus* (Clemesha) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelychiton* ×*suffusus* (Cady) M.A.Clem. et D.L.Jones, *Orchadian* 13(11): 492 (2002).
- Thelymitra* J.R.Forst. et G.Forst., *Char. gen. pl.* 97, t. 49 (1776). Type species: *Thelymitra longifolia* J.R.Forst. et G.Forst.
- Thelymitra aggericola* D.L.Jones, *Orchadian* 12(11): 517-518, f., t. (1999).
- Thelymitra albiflora* J.Jeanes, *Muelleria* 19: 38-40, f. 2g-i, t. 1, 16 (2004).
- Thelymitra angustifolia* R.Br., *Prod.* 314 (1810).
- Thelymitra antennifera* (Lindl.) Hook.f., *Fl. Tasman.* 2: 4 (1858).
- Thelymitra apiculata* (A.S.George) M.A.Clem. et D.L.Jones, *Austral. Orch. Res.* 1: 137 (1989).
- Thelymitra arenaria* Lindl., *Gen. sp. orchid. pl.* 519-20 (1840).
- Thelymitra aristata* Lindl., *Gen. sp. orchid. pl.* 521 (1840).
- Thelymitra atronitida* J.Jeanes, *Muelleria* 14: 91-94, f. 1a-d, 2, 3 (2000).
- Thelymitra azurea* R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 4: 342, t. 17 (1917).
- Thelymitra basalica* J.Jeanes, *Muelleria* 19: 35-36, f. 2a-c, t. 1, f. 13 (2004).
- Thelymitra batesii* J.Jeanes, *Muelleria* 19: 64-66, f. 4 a-c, 31, t. 3. (2004).
- Thelymitra benthamiana* Rchb.f., *Beitr. Syst. Pflanzenk.* 55 (1871).
- Thelymitra bracteata* J.Z.Weber ex J.Jeanes, *Muelleria* 19: 43-44, f. 3d-f, t. 2, f. 19 (2004).
- Thelymitra brevifolia* J.Jeanes, *Muelleria* 19: 30-32, 35, f. 1g-i, t. 1, f. 14 (2004).
- Thelymitra campanulata* Lindl. in *Edwards's, Bot. Reg.* 1-23: Swan Riv. *Append.* lix (1840).
- Thelymitra canaliculata* R.Br., *Prod.* 314 (1810).
- Thelymitra carnea* R.Br., *Prod.* 314 (1810).
- Thelymitra circumsepta* Fitzg., *Austral. orch.* 1(4): [t. 1] (1878).
- Thelymitra cornicina* Rchb.f., *Beitr. Syst. Pflanzenk.* 54 (1871).
- Thelymitra crinita* Lindl. in *Edwards's, Bot. Reg.* 1-23: Swan Riv. *Append.* xlv (1840).
- Thelymitra cucullata* Rupp, *Austral. Orchid Rev.* 11: 71 (1946).
- Thelymitra cyanapicata* J.Jeanes, *Muelleria* 19: 40-41, 43, f. 3a-c, t. 2, f. 18 (2004).
- Thelymitra cyanea* (Lindl.) Benth., *Fl. Austral.* 6: 323 (1873).
- Thelymitra dedmaniarum* R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 62: 13 (1938) [*sic* "dedmanae"].

- Thelymitra epipactoides* F.Muell., *Fragm.* 5: 174 (1866).
- Thelymitra erosa* D.L.Jones et M.A.Clem., *Austral. Orchid Res.* 3: 184-186, f. 8.1, a-c (1998).
- Thelymitra exigua* J.Jeanes, *Muelleria* 19: 28-30, f. 1d-f, t. 1, f.10 (2004).
- Thelymitra flexuosa* Endl., *Nov. stirp. dec.* 3: 23 (1839).
- Thelymitra fragrans* D.L.Jones et M.A.Clem., *Austrobaileya* 2(5): 550-52, f. 2 C & D (1988).
- Thelymitra frenchii* J.Jeanes, *Muelleria* 19: 66-67, f. 4d-f, 33, t.3 (2004).
- Thelymitra fuscolutea* R.Br., *Prod.* 315 (1810).
- Thelymitra graminea* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xlix (1840).
- Thelymitra grandiflora* Fitzg., *Gard. Chron.* (new ser.) 17: 495 (1882).
- Thelymitra granitoria* D.L.Jones et M.A.Clem., *Orchadian* 12(7): 326-327, f., t. (1998).
- Thelymitra gregaria* D.L.Jones et M.A.Clem., *Orchadian* 12(7): 327, 330, f., t. (1998).
- Thelymitra hiemalis* D.L.Jones et M.A.Clem., *Orchadian* 12(7): 330-331 (1998).
- Thelymitra holmesii* Nicholls, *Victorian Naturalist* 49: 263, f. (1933).
- Thelymitra imbricata* D.L.Jones et M.A.Clem. *Austral. Orchid Res.* 3: 186-187 (1998).
- Thelymitra improcera* D.L.Jones et M.A.Clem., *Austral. Orchid Res.* 3: 187-188 (1998).
- Thelymitra inflata* J.Jeanes, *Muelleria* 19: 71-73, f.7g-I, 37, t. 4. (2004).
- Thelymitra ixioioides* Sw., *Ksvenska Vet. Akad. Handl.* 21: 253, t. III, f. L (1800).
- Thelymitra jonesii* J.Jeanes, *Muelleria* 15: 81-83, f.1g-i, 5 (2001).
- Thelymitra juncifolia* Lindl., *Gen. sp. orchid. pl.* 522 (1840).
- Thelymitra latiloba* J.Jeanes, *Muelleria* 15: 83-85, f.2a-c, 6 (2001).
- Thelymitra longiloba* D.L.Jones et M.A.Clem., *Austral. Orchid Res.* 3: 191-192, f. 8.1, d-g (1998).
- Thelymitra lucida* J.Jeanes, *Muelleria* 19: 70-71, f. 7d-f, 36, t.4 (2004).
- Thelymitra luteocilium* Fitzg., *Gard. Chron.* (new ser.), 17: 495 (1882).
- Thelymitra macrophylla* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xli (1840).
- Thelymitra malvina* M.A.Clem., D.L.Jones et Molloy, *Austral. Orchid Res.* 1: 141 (1989).
- Thelymitra matthewsii* Cheeseman, *Trans. & Proc. New Zealand Inst.* 43: 177 (1911).
- Thelymitra media* R.Br., *Prod.* 314 (1810).
- Thelymitra megalyptra* Fitzg., *Austral. orch.* 1(5): [t. 2] (1879).
- Thelymitra mucida* Fitzg., *Gard. Chron.* (new ser.), 17: 495 (1882).
- Thelymitra nuda* R.Br., *Prod.* 314 (1810).
- Thelymitra occidentalis* J.Jeanes, *Muelleria* 15: 85-88, f.2d-f, 7 (2001).
- Thelymitra pallidiflora* J.Jeanes, *Muelleria* 19: 44-46, f. 3g-i, t. 2, f. 21 (2004).
- Thelymitra pauciflora* R.Br., *Prod.* 314 (1810).
- Thelymitra peniculata* J.Jeanes, *Muelleria* 19: 50-52, f. 5d-f, t. 2, f. 25 (2004).
- Thelymitra planicola* J.Jeanes, *Muelleria* 14: 94-96, f.1e-h,4,5 (2000).
- Thelymitra polychroma* D.L.Jones et M.A.Clem., *Austral. Orchid Res.* 3: 193-194, f. 8.1, h-j (1998).
- Thelymitra psammophila* C.R.P.Andrews, *J. Western Australia Nat. Hist. Soc.* 2 (2): 57-8 (1905).
- Thelymitra purpurata* Rupp, *Proc. Linn. Soc. New South Wales* 70: 288, f. 1 (1946).
- Thelymitra reflexa* J.Jeanes, *Muelleria* 21: 89-90, f.1,2 (2005).
- Thelymitra rubra* Fitzg., *Gard. Chron.* (new ser.), 17: 495 (1882).
- Thelymitra sargentii* R.S.Rogers, *Trans. & Proc. Roy. Soc. South Australia* 54: 41 (1930).
- Thelymitra silena* D.L.Jones, *Orchadian* 12(11): 518-519, f., t. (1999).
- Thelymitra simulata* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 195-196, f. 8.2, a-c. (1998).
- Thelymitra spadicea* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 196-197 (1998).
- Thelymitra sparsa* D.L.Jones et M.A.Clem., *Austral. Orch. Res.* 3: 197-198, f. 8.2, g-i. (1998).
- Thelymitra spiralis* (Lindl.) F.Muell. var. *spiralis*, *Fragm.* 5: 98 (1865).
- Thelymitra spiralis* var. *pulchella* Nicholls, *Victorian Naturalist* 66: 56 (1949).
- Thelymitra stellata* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append. xlix (1840).
- Thelymitra tigrina* R.Br., *Prod.* 315 (1810).
- Thelymitra variegata* (Lindl.) F.Muell., *Fragm.* 5: 98 (1865).
- Thelymitra venosa* R.Br., *Prod.* 314 (1810).
- Thelymitra versicolor* Lindl., *Gen. sp. orchid. pl.* 520 (1840).
- Thelymitra villosa* Lindl. in Edwards's, *Bot. Reg.* 1-23: Swan Riv. Append xlix (1840).
- Thelymitra viridis* J.Jeanes, *Muelleria* 19: 36, 38, f. 2d-f, t. 1, f.14 (2004).
- Thelymitra vulgaris* J.Jeanes, *Muelleria* 19: 58, 61-62, f.2d-f, 42 (2004).

- Thelymitra xanthotricha* J.Jeanes, Muelleria 19: 75-77, f. 8d-f, 41, t. 4 (2004).
Thelymitra ×*chasmogama* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 51: 4 (1927).
Thelymitra ×*irregularis* Nicholls, Victorian Naturalist 63: 126, f. A-C (1946).
Thelymitra ×*mackibbinii* F.Muell., Chem. & Druggist Aust., Suppl. 42: 44 (1881).
Thelymitra ×*macmillanii* F.Muell., Fragm. 5: 93 (1865).
Thelymitra ×*merraniae* Nicholls, Victorian Naturalist 46: 139 (1929).
Thelymitra ×*truncata* R.S.Rogers, Trans. & Proc. Roy. Soc. South Australia 41: 343, t. 17 (1917).
- Thrixspermum* Lour., Fl. Cochinch. 2: 519 (1790). Type species: *Thrixspermum centipeda* Lour.
Thrixspermum carinatifolium (Ridley) Schltr., Orchis 5: 56 (1911).
Thrixspermum congestum (F.M.Bailey) Dockrill, Austral. Sarcanth. 27, t. 35 (1967).
Thrixspermum platystachys (F.M.Bailey) Schltr., Orchis 5: 55 (1911).
- Thynninorchis* D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (Feb. 2002). Type species: *Drakaea huntiana* F.Muell.
Thynninorchis huntianus (F.Muell.) D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (2002).
Thynninorchis nothofagicola (D.L.Jones) D.L.Jones et M.A.Clem., Orchadian 13(10): 457 (2002).
- Townsonia* Cheesem., Manual New Zealand Fl. 691 (1906). Type species: *Townsonia deflexa* Cheesem.
Townsonia viridis (Hook.f.) Schltr., Repert. Sepe. Nov. Regni Veg. 9: 250 (1911).
- Trachoma* Garay, Bot. Mus. Leafl. 23: 207 (1972). Type species: *Dendrocolla rhopalorrhachis* Rchb.f.
Trachoma speciosum D.L.Jones, B.Gray, M.A.Clem. et J.J. Wood, Austral. Orchid Res., 1: 145 (1989).
Trachoma stellatum M.A.Clem., D.L.Jones, B.Gray et J.J. Wood, Austral. Orchid Res., 1: 146 (1989).
Trachoma subluteum (Rupp) Garay, Bot. Mus. Leafl Harvard Univ., 23(4): 208 (1972).
- Trachyrhizum* (Schltr.) Brieger, Schlechter Orchideen (ed. 3), 1: 687 (1981). Type species: *Dendrobium chalmersii* F.Muell., *vide* Brieger (1981).
Trachyrhizum agrostophyllum (F.Muell.) Rauschert, Feddes Repert. 94(7-8): 468 (1983).
- Trichoglottis* Blume, Bijdr. 6: t. 3, f. 8, 8: 359 (1825). Type species: *Trichoglottis retusa* Blume.
Trichoglottis australiensis Dockrill, Orchadian 2: 106, f. (1967).
- Tropidia* Lindl. in Edwards's, Bot. Reg. 19: sub t. 1618 (1833). Type species: *Tropidia curculigoides* Lindl.
Tropidia territorialis D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xi-xii (June 2004).
Tropidia viridifusca Kraenzl., Vierteljahrsschr. Naturf. Ges. Zurich 74: 71 (1929).
- Tropilis* Rafin., Fl. Tell. 2: 95 (1837). Type species: *Dendrobium aemulum* R.Br.
Tropilis aemula (R.Br.) Rafin., Fl. Tell. 2: 95 (1837).
Tropilis angusta D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 14, t. (21 Dec. 2006).
Tropilis callitrophilis (B.Gray et D.L.Jones) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).
Tropilis crassa D.L.Jones, B.Gray et M.A.Clem., Austral. Orchid. Res. 5: 14-15, t. (21 Dec. 2006).
Tropilis eburnea D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 15, t. (21 Dec. 2006).
Tropilis eungellensis D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 15-16, t. (21 Dec. 2006).
Tropilis radiata D.L.Jones et M.A.Clem., Austral. Orchid. Res. 5: 16, t. (21 Dec. 2006).
- Urochilus* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002). Type species: *Pterostylis vittata* Lindl.
Urochilus concavus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).
Urochilus sanguineus (D.L.Jones et M.A.Clem.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).
Urochilus vittatus (Lindl.) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).
- Vanda* W.Jones ex R.Br. in Edwards's, Bot. Reg. 6: t. 506 (1820). Type species: *Vanda roxburghii* R.Br.
Vanda hindsii Lindl., London J. Bot. 2: 237 (1843).

**Vanilla* P.Miller, Gard. Dict. Abr. (ed. 4), 2, without page number (28 Jan. 1754). Lectotype species: *Epidendrum vanilla* L. (= *Vanilla mexicana* P.Miller), *vide* Mansfeld (1959).

**Vanilla planifolia* Andrews, Bot. Repos. 8: t. 538 (Nov 1808).

Vappodes M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002). Type species: *Dendrobium bigibbum* Lindl.

Vappodes bigibba (Lindl.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

Vappodes dicupha (F.Muell.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

Vappodes lithocola (D.L.Jones et M.A.Clem.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

Vappodes phalaenopsis (Fitzg.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

Vrydagzynea Blume, Collect. Orchidees 71 (1858); Fl. Javae Nova Ser. 59 (1858). Type species: *Hetaeria albida* Blume, *vide* Averyanov (1990).

Vrydagzynea grayi D.L.Jones et M.A.Clem., Orchadian 14(8): Sci. Suppl. xii (2004).

×*Chilosimpliglottis* J.Jeanes, Muellera 16: 81 (2002).

×*Chilosimpliglottis pescottiana* (R.S.Rogers) J.Jeanes, Muellera 16: 81 (2002).

×*Cyanthera* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 156 (1992).

×*Cyanthera glossodioides* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 156 (1992), *nom. inval.*

×*Drakodenia* N.Hoffman et A.P.Br., Hopper et A.P.Br., Orchids South-West Austral. (ed. 2), 192 (1992).

×*Drakodenia enigma* N.Hoffman et A.P.Br., Orchids South-West Austral. (ed. 2), 193 (1992), *nom. inval.*

×*Drakodenia ornata* N.Hoffman et A.P.Br., Hopper et A.P.Br., Orchids South-West Austral. (ed. 2), 194 (1992).

×*Glossadenia* J.Kuvulak, The Australian Native Orchid Hybrid Guide (ed. 1), 7 (1986).

×*Glossadenia tutulata* (R.S.Rogers) J.Kuvulak, The Australian Native Orchid Hybrid Guide (ed. 1), 7 (1986).

×*Taurodium* D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 91 (2002).

×*Taurodium furcillatum* (Rupp) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

×*Taurodium toveyanum* (Ewart et Sharman) D.L.Jones et M.A.Clem., Austral. Orch. Res. 4: 74 (2002).

×*Vappacalum* M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappacalum lavarackianum* (M.A.Clem.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappacalum superbiens* (Rchb.f.) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

×*Vappaculum vinicolor* (St.Cloud) M.A.Clem. et D.L.Jones, Orchadian 13(11): 492 (2002).

Zeuxine Lindl., Coll. Bot. App. no. 18 (1825); Orch. Scelet. 9 (1826)[sic '*Zeuxina*'], *orth. cons.* Type species: *Pterygodium sulcatum* Roxb.

Zeuxine exilis Ridley, J. Straits Branch Roy. As. Soc. 45: 236 (1906).

Zeuxine oblonga R.S.Rogers et C.T.White, Proc. Roy. Soc. Queensland 32: 120-2, f 2 (1921).