

Protoperidinium conicum (Gran) Balech f. **conicum**

Revta Mus. Argent. Cienc. Nat. "Bernardino Rivadavia" (Hidrobiol.) 4: 58 (1974)

Peridinium divergens var. *conicum* Gran, *Rep. Norweg. Fisheries Invest.* 1(5): 47 (1900); *Peridinium conicum* (Gran) Ostenf. & F.Schmidt, *Vidensk. Meddel. Dansk Naturhist. Foren. Kjøbenhavn* 1901: 174 (1901)

Type locality: North Sea

Australian distribution: Qld (Gulf of Carpentaria; cysts, Moreton Bay) to N.S.W. (Port Hacking), Vic., Tas., S.A. W.A. (Israelite Bay, Swan River)

Extra-Australian distribution: South Atlantic Ocean, Mexico (Pacific coast), U.S.A. (Washington), Canary Islands, Mauritania, British Isles, North Sea, Baltic Sea, Mediterranean Sea, Red Sea, Solomon Islands, Chile

Note: Coastal and estuarine

References: E.J.F.Wood, Dinoflagellates in the Australian region, *Austral. J. Mar. Freshw. Res.* 5: 171–351 (1954)

N.Revelante & M.Gilmartin, Characteristics of the microplankton and nanoplankton communities of an Australian coastal plain estuary, *Austral. J. Mar. Freshw. Res.* 29: 9–18 (1978)

C.J.Bolch & G.M.Hallegraeff, Dinoflagellate cysts from Recent marine sediments of Tasmania, Australia, *Bot. Mar.* 33: 173–192 (1990)

J.A.Sonneman & D.R.A.Hill, A taxonomic survey of cyst-producing dino-flagellates from the coastal waters of Victoria, Australia, *Bot. Mar.* 40: 149–177 (1997)

F.E.Hoedt, J.H.Choat, J.J.Cruz, K.M.Neil & J.Collins, *Survey of the Port of Weipa: Port Marine Baseline Surveys and Surveys for Introduced Marine Pests*. Report by the School of Marine Biology, James Cook University, Townsville (2001)

G.M.Hallegraeff, C.J.S.Bolch, J.M.Huisman & M.F. de Salas, Planktonic dinoflagellates, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 145–212 (2010)