

**Chaetoceros danicus** Cleve

*Det Videnskabelige Udbytte af Kanonbaaden "Hauchs" Togter i de Danske Have Indenfor Skagen I Aarene 1883–86: 55 (1889)*

*Type locality:* Denmark

*Australian distribution:* Qld (Moreton Bay), N.S.W. (North Coast, Central Coast, Port Hacking, Sydney), Vic. (Port Phillip Bay), W.A. (Perth, Shark Bay, Broome).

*References:* L.H.Crosby & E.J.F.Wood, Studies on Australian and New Zealand diatoms. I. Planktonic and allied species, *Trans. & Proc. Roy. Soc. New Zealand* 85: 483–530 (1958)

N.Revelante & M.Gilmartin, Characteristics of the microplankton and nanoplankton communities of an Australian coastal plain estuary, *Austral. J. Mar. Freshw. Res.* 29: 9–18 (1978)

I.Jameson & G.M.Hallegraeff, Planktonic diatoms, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 48 (2010)

*Extra-Australian distribution:* Argentina, Gulf of Mexico, Caribbean Sea, U.S.A. (Alaska, NW and E), Canada (Bay of Fundy), British Isles, North Sea, Baltic Sea, Barents Sea, White Sea, Mediterranean Sea, Canary Islands, Sea of Japan, South Korea, China, W Pacific Ocean, New Zealand, Southern Ocean