

***Delphineis surirella* (Ehrenb.) G.W.Andrews var. *surirella***

*Beih. Nova Hedwigia* 54: 83, pl. 1, 2, figs 1–7 (1977)

*Zygoceros surirella* Ehrenb., *Über noch zahlreich jetzt lebende Thierarten der Kreidebildung und den Organismus der Polythalamien* 80, pl. 4, fig. 12 (1840)

*Rhaphoneis surirella* (Ehrenb.) Grunow, *in Cleve & Möller, Diatoms* 3: Nos 154-155 (1881)

*Type locality:* North Sea (Germany)

*Australian distribution:* N & NW Australia, W.A. (Perth)

*References:* J.John, The diatom flora of the Swan River Estuary, Western Australia, *Biblioth. Phycol.* 64: 1–358 (1983)

G.M.Hallegraeff & S.W.Jeffrey, Tropical phytoplankton species and pigments of continental shelf waters of north and north-west Australia, *Mar. Ecol. Prog. Ser.* 20: 59–74 (1984)

*Extra-Australian distribution:* Argentina, S Brazil, Venezuela, Mexico (Pacific coast, Gulf of California), Gulf of Mexico, U.S.A. (NE coast), Canada (Bay of Fundy, Nova Scotia), British Isles, France, North Sea, Spain, Hawaiian Islands, Bering Sea

*Note:*In marine and brackish habitats