

**Lioloma delicatulum** (Cupp) Hasle

in Hasle & Syvertsen, *Identifying Marine Diatoms & Dinoflagellates* 340, pl. 54, fig. 1a–c (1997)

*Thalassiothrix delicatula* Cupp, *Bull. Scripps Inst. Oceanogr.* 5: 188, fig. 137 (1943)

Type locality: U.S.A. (California)

*Thalassiothrix heteromorpha* auct. non G.Karst., *Wiss. Ergebni. Deutschen Tiefsee-Exped. Dampfer Valdivia 1898–1899* 2: 204 (1907); G.M.Hallegraeff, *Diatom Res.* 1: 70–72 (1986)

Australian distribution: N.T./Qld (Gulf of Carpentaria), N.S.W. (Sydney), East Australian Current, NW Shelf

References: G.M.Hallegraeff & S.W.Jeffrey, Tropical phytoplankton species and pigments of continental shelf waters of north and north-west Australia, *Mar. Ecol. Prog. Ser.* 20: 59–74 (1984)

G.M.Hallegraeff, Taxonomy and morphology of the marine plankton diatoms *Thalassionema* and *Thalassiothrix*, *Diatom Res.* 1: 57–80 (1986)

I.Jameson & G.M.Hallegraeff, Planktonic diatoms, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 74 (2010)

Extra-Australian distribution: Gulf of Mexico, U.S.A. (California, NE coast), Spain, Portugal, Mediterranean Sea, Adriatic Sea, NW Africa, Bay of Bengal, Indonesia, Peru, South Pacific Ocean