

***Pseudonitzschia delicatissima* (Cleve) Heiden**

in Heiden & Kolbe, *Deutsch. Südpol. Exped.* 8, Bot., 5: 672 (1928)

Nitzschia delicatissima Cleve, *Treatise Phytoplankton Northern Atlantic & Tributaries* 24, pl. 2, fig. 32 (1897)

Type locality: Atlantic Ocean, Sweden, Svalbard

Nitzschia actydophila Hasle, *Skr. Norske Vidensk.-Akad. Oslo, Math.-Naturvidensk. Kl.*, n. ser., 18: 35, pl. 2, fig. 10; pl. 15, figs 19–23 (1965)

Australian distribution: Qld (Coral Sea), East Australian Current, N.S.W. (Sydney), Tas.

References: N.Revelante & M.Gilmartin, Characteristics of the microplankton and nanoplankton communities of an Australian coastal plain estuary, *Austral. J. Mar. Freshw. Res.* 29: 9–18 (1978)

G.M.Hallegraeff, Species of the diatom genus *Pseudo-nitzschia* in Australian waters, *Bot. Mar.* 37: 397–411 (1994)

I.Jameson & G.M.Hallegraeff, Planktonic diatoms, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 71 (2010)

Extra-Australian distribution: Mexico, Atlantic Ocean, British Isles, Denmark, Sweden, Svalbard, Spain, Portugal, Italy, Black Sea, China (Hong Kong), Japan, Southern Ocean