

***Pseudonitzschia multiseries*** (Hasle) Hasle

*J. Phycol.* 31: 430, figs 2, 4, 5, 9, 11–13, 17, 18 (1995)

*Nitzschia pungens* f. *multiseries* Hasle, *Skr. Norske Vidensk.-Akad. Oslo, Math.-Naturvidensk. Kl.*, n. ser., 18: 14; pl. 2, figs 1, 2; pl. 5, figs 10–12; pl. 6, fig. 4; pl. 7, figs 9–11 (1965)

*Pseudonitzschia pungens* f. *multiseries* (Hasle) Hasle, *Beih. Nova Hedwigia* 106: 319 (1993)

*Type locality*: North Sea (?)

*Australian distribution*: N.S.W. (Berowra Creek)

*References*: G.M.Hallegraeff, Species of the diatom genus *Pseudo-nitzschia* in Australian waters, *Bot. Mar.* 37: 397–411 (1994)

I. Jameson & G.M.Hallegraeff, Planktonic diatoms, *Algae of Australia: Phytoplankton of Temperate Coastal Waters* 65 (2010)

*Extra-Australian distribution*: Argentina, Uruguay, U.S.A. (Washington, Oregon, California, Virginia), Canada (British Columbia, New Brunswick, Nova Scotia, Prince Edward Island), British Isles, North Sea, Baltic Sea, Bay of Biscay, Sea of Japan, Yellow Sea, New Zealand